Journal of Physics F: Metal Physics

Volume 8, 1978

M.P.(F). 8/12 – P

Copyright © 1978 by The Institute of Physics and individual contributors. All rights reserved. Multiple copying of the contents or parts thereof without permission is in breach of copyright, but permission is hereby given to copy titles and abstracts of papers and names of authors. Permission is usually given upon written application to the Institute to copy illustrations and short extracts from the text of individual contributions, provided that the source (and, where appropriate, the copyright) is acknowledged. The code at the bottom of the first page of an article in this journal indicates that copies of the article may be made in the USA for personal or internal use, on condition that the copier pays the stated per-copy fee to the Copyright Clearance Center, Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law.

Bibliographic Codes
CODEN:JPFMAT i–x L1–306 1–2681 (1978)
ISSN: 0305–4608

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, in conjunction with the American Institute of Physics.

Printed in Great Britain by A Wheaton & Co. Ltd, Exeter. Set in 10/12 Times.

Volume 8
Pages L1–306, 1–2681
1978

Journal of
Physics F

Metal Physics

A Europhysics Journal
published by
The Institute of Physics
in association with
The Metals Society and
The Institution of Metallurgists

Journal of Physics: Metal Physics

Honorary Editor

J L Beeby MA PhD

Deputy Editor

L M Brown PhD MInstP

Editorial Board

P J Dobson PhD MInstP
J S Dugdale MA DPhil
B L Eyre MSc AIM FInstP
D J Fabian PhD FInstP
P Fulde PhD
F Garcia-Moliner DSc PhD FInstP
H J Güntherodt PhD
O Krogh Andersen PhD
J Nutting MA ScD PhD FIM MInstP
G Rickayzen PhD MInstP
E P Wohlfarth DSc FInstP

Editorial Manager

P A Tulett

Staff Editor

I R Loe BTech MInstP

Contents

NO 1 JANUARY 1978

LETTERS TO THE EDITOR

Positron annihilation studies of quenched aluminium — *W R Wampler and W B Gauster* — L1
Low-temperature lattice properties of PdD alloys — *J M Rowe* — L7
The thermal expansion coefficient of the defect-entropy volume — *P Varotsos* — L9
Comparison of positron annihilation behaviour with lattice expansion in Ni, Fe and V at low temperatures — *J A Jackman, C W Schulte and J L Campbell* — L13
The ionic spin distribution and preasymptotic RKKY interactions in Heusler alloys — *G Malmström and D J W Geldart* — L17

PAPERS

The structure of the diffuse omega phase observed in Zr and Ti alloys — *R Pynn* — 1
A low-temperature x ray diffraction study of Pd and some Pd–H alloys — *H W King and F D Manchester* — 15
Substitutional disorder described within the supercell model — *N Mårtensson* — 27
Crystal equilibrium and lattice dynamics of chromium and vanadium — *R C Rai and M P Hemkar* — 45
The strange case of $Al_{10}V$: Well defined local modes in a metallic solid — *A D Caplin and L K Nicholson* — 51
Pressure dependence of the de Haas–van Alphen effect in potassium — *Z Altounian, C Verge and W R Datars* — 75
The effect of positron–phonon scattering on positron trapping at defects in metals: Solution for strong trapping — *T McMullen* — 87
Low-temperature resistivity of dilute **Pt**Mn alloys — *J Kästner, E F Wassermann, K Matho and J L Tholence* — 103
Low-temperature electrical and thermal transport properties of pure aluminium — *J C Garland and D J Van Harlingen* — 117
Resistivity, its temperature coefficient and thermoelectric power of liquid rare earths (La, Ce, Eu, Gd, Yb) using t matrix — *Y Waseda, A Jain and S Tamaki* — 125
The low-temperature high-field Nernst–Ettingshausen coefficient of Al — *B J Thaler, R Fletcher and J Bass* — 131
The intervalley scattering in Bi and its influence on the transport properties at intermediate temperatures — *H Nielsen* — 141
Structural instabilities and superconductivity in the alkali tungsten bronzes — *K L Ngai and T L Reinecke* — 151
Relaxation in spin glasses — *J Riess, M Fibich and A Ron* — 161
Anisotropic effects in dilute Pt–Mn: A nuclear orientation study — *J R Thompson, J O Thomson, P G Huray, S Nave and T L Nichols* — 169
Effect of local environment on formation of local moments in BCC Fe–V alloys: Mössbauer study — *M Shiga and Y Nakamura* — 177
Magnetic and ^{57}Fe Mössbauer study of $Y(Fe_{1-c}Al_c)_2$ alloys: Local environment effects — *M J Besnus, P Bauer and J M Génin* — 191

NO 2 FEBRUARY 1978

LETTERS TO THE EDITOR

Resonant model potential and the phonon frequencies in copper — *J C Upadhyaya and L Dagens* — L21

Determination of the hydrogen diffusion coefficient in Ti_2Ni by means of quasielastic neutron scattering — *J Töpler, E Lebsanft and R Schätzler* L25
Positron annihilation and charge transfer in simple alloys — *Y Tsuchiya and S Tamaki* L29
The magnetoresistance of PdFe alloys — *A Hamzić and I A Campbell* L33
The lattice thermal conductivity of very pure aluminium — *H N De Lang, H van Kempen and P Wyder* L39

PAPERS

Positrons as the probe of phase transformations in Cu–Mn alloy — *H Fukushima and M Doyama* 205
Thermopower and critical concentration in PdNi — *C L Foiles* 213
Theory of energy bands and related properties of 4d transition metals: III. s and d contributions to the equation of state — *D G Pettifor* 219
A calculation of the pressure dependence of the low-temperature transport properties of dilute KRb alloys — *M J W Povey* 231
Anomalous Hall effect in some typical spin glass alloys — *S P McAlister and C M Hurd* 239
An ultrasonic study of the magnetic phases of dysprosium — *C Isci and S B Palmer* 247
Compressibilities and volume dependence of T_c for eleven Chevrel phase superconductors — *A W Webb and R N Shelton* 261
Anisotropic impurity scattering and the electromagnetic surface resistance of aluminium — *G Rickayzen* 271
A precise determination of the freezing point of copper — *P B Coates and J W Andrews* 277
Stiffness constant of weak ferromagnetic Ni-based alloys. Low-temperature measurements in Ni:V, Ni:Mo, Ni:Ru, Ni:Cr: Interpretation within RPA–CPA theories — *M Hennion and B Hennion* 287
Hyperfine fields of Fe impurities in the Heusler alloys Co_2MnX(X = Ga, Ge, Si, Sn) — *G R MacKay, C Blaauw, J Judah and W Leiper* 305
Mössbauer effect of Fe impurities in Cu alloys of Zn, Ga, Ge and As — *W N Cathey* 315
Mössbauer effect study of Fe_3Sn_2 — *G Le Caër, B Malaman and B Roques* 323
Studies of hyperfine fields of some 4d and 5d impurities in ferromagnets — *K Johansson, E Karlsson and L-O Norlin* 337
Mössbauer effect study of iron-implanted copper alloys (I): as a function of dose — *G Longworth and R Jain* 351
Mössbauer effect study of iron-implanted copper alloys (II): as a function of annealing temperature — *R Jain and G Longworth* 363

NO 3 MARCH 1978

LETTERS TO THE EDITOR

The elastic energy of dislocation loops in anisotropic media — *G Schoeck and H O K Kirchner* L43
On the charge-ordered solution of the degenerate Hubbard model — *J Mizia* L47
Spin–orbit projected d densities-of-states of Pd, Ag, Pt and Au — *N E Christensen* L51
Nonaxial electric field gradients in amorphous rare earth alloys — *A Fert and I A Campbell* L57
Thermodynamic properties of a classical RKKY model of CuMn — *W Y Ching and D L Huber* L63
More on the question of spin reorientation in $GdAl_2$ — *O Eidelman, D Fekete and N Kaplan* L67
A reply to 'More on the question of spin reorientation in $GdAl_2$' — *G J Bowden* L73

PAPERS

Generalised coarsening theory in binary alloys — *H P Aubauer* 375
Huang diffuse x ray scattering from lattice strains in high-concentration Ta-H alloys — *H Metzger and H Peisl* 391
Hexagonal phase in ultra-thin films of lead — *Z Ovadyahu* 403
Dynamical structure factor in liquid rubidium — *F Yoshida* 411
Strain and the spin-flip transition in chromium: Landau theory — *W B Cowan* 423
The influence of impurities on interstitial diffusion — *K W Kehr, D Richter and R H Swendsen* 433
Some calculated contributions to the electric field gradient in nontransition metals — *K W Lodge* 447
Energy bands, densities of states and x ray spectra of Al with superposed self-consistent potentials — *P Léonard* 467

The solution of the Boltzmann transport equation: The electrical resistivity of lithium
F W Kus and E Zaremba 479
Low-temperature magnetoresistance of nearly magnetic transition metal-based alloys and actinides
V Zlatić 489
Deviations from Matthiessen's rule in nitrogen doped niobium *J Fuss, K Schulze and H Schultz* 497
Fluxon pinning in superconductors with regularly spaced defects *J Lowell* 501
Magnetic properties and molecular field coefficients of $Er_6(Fe_{1-x}Mn_x)_{23}$ *G Hilscher and H Rais* 511
Ferromagnetic resonance of nickel–vanadium alloys *C J Gadsden and M J Heath* 521
Crystal field quenching of the Dy^{3+} 4f shell in the cubic Laves compounds $(Dy_{1-x}Ho_x)Ni_2$ and $(Dy_{1-x}Y_x)Al_2$ *G J Bowden and R K Day* 533
The L*l* and Lη x ray emission spectra of some first-row transition metals and compounds
P R Wood and D S Urch 543
K absorption edges of intercalation compounds K_xZrS_2 and Rb_xZrS_2
R K Johri and B K Agarwal 555
The L_{23} VV Auger spectrum of magnesium *A M Baró and J A Tagle* 563

NO 4 APRIL 1978

LETTERS TO THE EDITOR

Neutron diffraction study of β iron titanium deuteride
P Thompson, M A Pick, F Reidinger, L M Corliss, J M Hastings and J J Reilly L75
Effective interatomic potentials from liquid metal structure data *M Hasegawa and W H Young* L81
Anomalous high-field magnetisation of YCo_2 and $LuCo_2$ *C J Schinkel* L87
Diffuse neutron scattering from stressed MnCu alloys *S J Campbell and P Wells* L91
The temperature dependence of the hyperfine field of ^{27}Al in iron at constant volume *P C Riedi* L95
The symmetry properties of energy bands in solids determined by UV photoemission with unpolarised radiation *N V Richardson and J K Sass* L99

PAPERS

Effect of valence fluctuations on lattice vibrations *S K Ghatak and K H Bennemann* 571
The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Cheveau *B L Fielek* 577
Inelastic tunnelling spectra of chemisorbed atoms *Min-Hsuing Tsai* 589
Electronic density of states for Cu–Ni alloys by continued fraction method
G Cubiotti and B Ginatempo 601
The calculation of model potential parameters: an additional comment *P J Bunyan* 611
Self-consistent APW bandstructure of V_3Ga *B M Klein, L L Boyer and D A Papaconstantopoulos* 617
An investigation of the third-zone Fermi surface of aluminium using ultrasonic quantum oscillations
C M Boyne and L Mackinnon 623
Ultrasonic quantum oscillations in white tin at 0·1 K *C M Boyne and L Mackinnon* 629
The positron density distribution in metals: Temperature effects *M J Stott and R N West* 635
The electronic thermal conductivity of simple metals and alloys: Lithium and aluminium *F W Kus* 651
Longitudinal magnetoresistance size effect of aluminium single crystals: Effect of the cyclotron orbit nature *H Sato and K Yonemitsu* 659
On the low-field susceptibility and the helical–ferromagnetic field-induced phase transition in holmium *A del Moral* 671
Nuclear spin lattice relaxation of ^{165}Ho in magnetically ordered rare earth metals
K I Shaw, A Tari and I S Mackenzie 679
Dynamic magnetism of an itinerant-electron antiferromagnet as an internal Josephson effect
E W Fenton 689
Mössbauer effect of ^{151}Eu in $EuNi_5$, $EuMg_2$ and their hydrides
F W Oliver, K W West, R L Cohen and K H J Buschow 701
Ultraviolet photoemission from intermetallic compounds with CsCl structure: ScAg, ScPd, ScIr and ScRu *F L Battye, H Schultze, A Goldmann, S Hüfner, D Seipler and B Elschner* 709

NO 5 MAY 1978

LETTERS TO THE EDITOR

Vacancy formation energy in iron by positron annihilation — *S M Kim and W J L Buyers* L103
Spin glass freezing above the ferromagnetic percolation limit in AuFe alloys — *B H Verbeek and J A Mydosh* L109
Nuclear magnetic resonance of ^{139}La in ferromagnetic $Gd_{0.9}La_{0.1}Al_2$ — *Y Berthier and R A B Devine* L113
Electric field gradient and lattice location of tin in tellurium — *M Rots, F Namavar, G Langouche, R Coussement, M Van Rossum and P Boolchand* L117

PAPERS

Nearest-neighbour distance and atomic properties in CsCl-type intermetallic compounds — *T L Liu* 717
Temperature dependence of the elastic constants in alkali metals — *V G Vaks, E V Zarochentsev, S P Kravchuk and V P Safronov* 725
Dielectric matrix and related properties in random binary alloys — *F Sacchetti* 743
Enhanced lattice specific heat due to gold impurities in Cu–Au alloys — *B D Indu, M D Tiwari and Bal K Agrawal* 755
Anomalous thermal expansion of dilute CuMn and AgMn alloys below 50 K — *J A Khan and D Griffiths* 763
The energy and electron density of states of H in Pd, Rh and Ni — *C A Sholl and P V Smith* 775
A relativistic model pseudopotential: Applied to Cs and Pb metals — *C B So, R A Moore and S Wang* 785
Changes in the Fermi surfaces of magnesium, zinc and cadmium under uniaxial compression — *J Mayers and B R Watts* 799
Pseudopotential calculation of the screening of a helium atom in aluminium — *R Benedek* 807
Scattering phaseshifts and resonances for line defects — *R A Brown* 825
A study of the magnetic and transport properties of amorphous electrodeposited nickel–phosphorus alloys — *A Berrada, M F Lapierre, B Loegel, P Panissod and C Robert* 845
Temperature-dependent anisotropy of resistivity of normal hexagonal metals — *W C Chan* 859
Transport properties of palladium from 40 mK to 6 K — *C Uher and P A Schroeder* 865
Electron states at steps in transition metal surfaces: A cluster–Bethe lattice approximation — *J A Vergés and F Yndurain* 873
Electronic structure of metals: VI. Magnetic susceptibilities of simple metals — *S K Lai, S Wang and C B So* 883
Hubbard model with nearest- and next-nearest-neighbour hopping in the Hartree–Fock approximation — *D Grensing* 901
Magnetic ordering in ternary rare earth iron aluminium compounds (RFe_4Al_8) — *K H J Buschow and A M van der Kraan* 921
Indirect magnetic coupling between local moments in metals — *D C Price* 933
Magnetoelastic and quadropolar couplings in ErZn and HoZn — *P Morin and D Schmitt* 951
Polarisation domain effects on ultrasonic velocity in antiferromagnetic chromium — *D A Pink, M O Steinitz, D J Stanley, E Fawcett and J Perz* 961
Influence of the crystal field on the gadolinium electron spin resonance in polycrystalline cubic metals — *D Seipler and T Plefka* 969
On the coupling between gadolinium 4f electrons and conduction electrons in monopnictides — *P Urban, K Jansen, G Sperlich and D Davidov* 977
Mössbauer effect observation of an induced hyperfine field in $YbAl_3$ — *J W Ross and E Tronc* 983
Mössbauer effect study of iron implanted silver alloys as a function of dose and annealing temperature — *G Longworth and R Jain* 993
Photoemission from transition metal surfaces — *J B Pendry and J F L Hopkinson* 1009

NO 6 JUNE 1978

LETTERS TO EDITOR

The static structure factors of a liquid sodium–potassium alloy — *G Jacucci, I R McDonald and R Taylor* L121

A note on electrons around vacancies in metals *S Yoshioki and G Mori* L125
The nonequivalence of angular force models of de Launay and Clark, Gazis and Wallis for FCC metals *M M Shukla* L131
Comments on 'Hexagonal phase in ultra-thin films of lead' *G D T Spiller and P J Dobson* L135
McMillan–Hopfield factor and ideal resistivity of transition metals *N I Kulikov* L137
Spin waves in the partly disordered B2 structure of Fe_3Al *E Frikkee* L141
Low-temperature magnetic properties of the metallic FCC phase of ytterbium *M Ribault, A Benoit, J Flouquet and G Chouteau* L145

PAPERS

On the collective excitations and short-range order in liquid alkaline metals *M Goda and S Osabe* 1019
The interaction of self interstitials with undersized solute atoms in electron-irradiated aluminium *C Dimitrov, O Dimitrov and F Dworschak* 1031
Atomic mobility under irradiation: Experimental verification of the phenomenological model *M Halbwachs* 1053
Ultrasonic attenuation in niobium II: measurements near B_{c2} *E M Forgan and C E Gough* 1073
Helicon–phonon interaction in metals for parallel wave propagation *R Sekher and K S Viswanathan* 1099
Entropy–volume correlation for some homovalent disordered solid alloys *M Hasegawa and W H Young* 1105
Lattice statics calculation of the surface relaxation in metals *R Benedek* 1119
Lineshape studies of quantum oscillations in the ultrasonic absorption and dispersion in indium. The anomalous behaviour of the ultrasonic absorption *J de Wilde and D G de Groot* 1131
The effect of symmetry on electron momentum distributions in solids *R Harthoorn and P E Mijnarends* 1147
Dislocation scattering and de Haas–van Alphen amplitudes *R A Brown* 1159
dHvA effect study of the effective cyclotron masses of the central and noncentral ζ orbits in lead *K Ogawa and H Aoki* 1169
Some effects of temperature on positron annihilation characteristics in metals *B T A McKee and T McMullen* 1175
On the resistivity of amorphous ferromagnets *M A Continentino and N Rivier* 1187
Temperature dependence of the Hall effect in potassium *C M Hurd and S P McAlister* 1201
Deviation from Matthiessen's rule at high temperatures: Cu, Ag and Ge in Al *Y Fujita and Y Fukai* 1209
Magnetic susceptibility and single-impurity effects in dilute AgMn alloys *M Hanson* 1225
An effective ion Hamiltonian for a magnetic 3d impurity in a metal *J M Dixon* 1243
Local environment and magnetic properties in transitional alloys: IV *J van der Rest* 1263
Strong ferromagnetism in Invar type Fe–Pt alloys *K Sumiyama, M Shiga, Y Kobayashi, K Nishi and Y Nakamura* 1281
The magnetic properties of high-purity $ZrZn_2$ in pulsed fields of up to 17 T *P G Mattocks and D Melville* 1291
The effect of platinum on the itinerant antiferromagnetism of chromium *J G Booth, K R A Ziebeck and R Chagnon* 1303
Spin glasses in low DC fields: II. Magnetic viscosity *C N Guy* 1309
Nuclear spin relaxation in liquid mercury and the quadrupolar relaxation mechanism *J Marsden, R L Havill and J M Titman* 1321
The influence of ion implantation on the thermal oxidation of copper *J R Morris, R A Collins and G Dearnaley* 1333

NO 7 JULY 1978

LETTERS TO THE EDITOR

Investigation of Bragg reflections in αNbD_x under hydrostatic pressure by γ ray diffraction *O Blaschko, R Klemencic, P Weinzierl and O J Eder* L149
A correlation between the size effect of impurity atoms and their trapping radii for migrating self-interstitials in copper and aluminium *F Dworschak, C Dimitrov and O Dimitrov* L153
Experimental determination of critical data of liquid molybdenum *U Seydel and W Fucke* L157

Ground state properties of f band metals: lanthanum, cerium and thorium *D Glötzel* L163
A plasmon gain satellite in the KLL Auger spectrum of Mg and Al metal
P M Th M van Attekum and J M Trooster L169
Fluctuation conductivity of a single-impurity Kondo system *M Ahmed* L175

PAPERS

A high-speed determination of the volume fraction of ferrite in austenitic stainless steel by EDXRD
E S U Laine 1343
Measurement of the field evaporation rate of several transition metals *T T Tsong* 1349
Vacancy loss during quenching of low dislocation density crystals *R M Emrick* 1353
The magnetic field dependence of the low-temperature elastic constants of neodymium
S B Palmer and J T Lenkkeri 1359
On the analysis of the defect-experimental data in metals *P A Varotsos* 1373
Temperature dependence of monovacancy formation parameters for simple metals: II. Extension of the Kanzaki lattice statics method to finite temperatures *C H Leung and M J Stott* 1379
Thermophysical properties of solid and liquid molybdenum and palladium
U Seydel and U Fischer 1397
The electronic structure of dilute transitional impurities in transition and noble metal hosts
P V Smith 1405
de Haas–van Alphen effect and Fermi surface of yttrium *P G Mattocks and R C Young* 1417
de Haas–van Alphen effect, LMTO bandstructure and Fermi surface of β'-AgMg
A E Dunsworth, J-P Jan and H L Skriver 1427
Generalised perturbation theory in disordered transition metal alloys: Application to the self-consistent calculation of ordering energies *G Treglia, F Ducastelle and F Gautier* 1437
Some systematics of positron–vacancy interactions in metals *G M Hood and B T A McKee* 1457
Bound-state-induced scattering resonances at dislocations *R A Brown* 1467
Multiple scattering calculations of the resistivity of liquid transition metals
H N Dunleavy and W Jones 1477
Some transport properties of dilute copper and silver alloys *F W Kus* 1483
Orbital magnetic susceptibility of conduction electrons in a disordered system
Y Takahashi and M Shimizu 1491
The transverse dynamical susceptibility of ferromagnets and antiferromagnets within the local exchange approximation *D M Edwards and M A Rahman* 1501
Nuclear spin relaxation and the Knight shift of ^{61}Ni metal in the paramagnetic solid and liquid phases *P J Ségransan, Y Chabre and W G Clark* 1513
Magnetic properties, electrical resistivity and thermal expansion of $(Ho,Y)Co_2$
W Steiner, E Gratz, H Ortbauer and H W Camen 1525
Spin density functional theory for the spin wave stiffness coefficient in ferromagnets
K L Liu and S H Vosko 1539
NMR study of ferromagnetic gold-based Heusler alloys *A K Grover, Le Dang Khoi and P Veillet* 1557
Hyperfine field distribution in FeMo, FeRh and FeIr *R H Dean and G A Jakins* 1563
Strength, symmetry and distribution of electric quadrupole interactions at ^{181}Ta impurities in hafnium–zirconium alloys *R L Rasera, T Butz, A Vasquez, H Ernst, G K Shenoy, B D Dunlap, R C Reno and G Schmidt* 1579
A study of the Fe site hyperfine field and magnetic moment in the Heusler alloy $Ni_2Mn_{0.9}Fe_{0.1}Sn$
C C M Campbell and J A Cameron 1591
Determination of the infrared optical constants of highly reflecting materials by means of surface plasmon excitation—application to Pd *J Lafait, F Abelès, M L Theye and G Vuye* 1597
Photoelectron spectroscopy studies and calculation of the energy bands of CsAu and RbAu
H Overhof, J Knecht, R Fischer and F Hensel 1607
Corrigendum *J W Ross and E Tronc* 1617

NO 8 AUGUST 1978

LETTERS TO THE EDITOR

Search for Bernal holes in a realistic structural model of amorphous iron
R Yamamoto, K Haga, H Shibuta and M Doyama L179
The Curie–Weiss susceptibility of localised moments *K A Chao, A M Oleś and J Spałek* L183

PAPERS

Thin film studies of yttrium, yttrium hydrides and yttrium oxide *A E Curzon and O Singh* 1619
Diffuse neutron scattering in niobium containing interstitial oxygen impurities
C-H de Novion and W Just 1627
Monte Carlo study of the structure of expanded fluid rubidium *R D Mountain* 1637
An investigation of elastic moduli of vanadium–chromium alloys
J T Lenkkeri and E E Lähteenkorva 1643
Einstein's temperature and vibrational entropy in relation to the electronic structure: II. Dilute alloys of transition and noble metals *G Moraitis and F Gautier* 1653
Measurement of the low-frequency viscosity of some polycrystalline metals and alloys
C E Bottani, P M Ossi and F Rossitto 1671
An atom size effect in tracer diffusion *G M Hood* 1677
Interaction of hydrogen and vacancies in copper investigated by positron annihilation
B Lengeler, S Mantl and W Triftshäuser 1691
A simple, useful analytical form of the static electron gas dielectric function *R Taylor* 1699
Some resonance model calculations of electrical resistivity in molten titanium
J S Brown, A H M Lopez-Escobar and J R Todd 1703
Dynamical properties of quasiparticle excitations in potassium and rubidium
D McK Paul and M Springford 1713
A tight binding theory of transport properties of liquid metals: Ishida–Yonezawa approximation for a single-band model *M Itoh and M Watabe* 1725
On the pressure variation of resistivity of solid Cu, Ag and Au *S N Khanna* 1751
Internal oxidation of impurities in gold *P Svoboda* 1757
Thermopower in α phase alloys of Cu, Zn, Ga, Ge and As in Ag at low temperatures
R S Crisp and W G Henry 1767
Simple itinerant model of spin glass behaviour *J Mathon* 1783
Long-wavelength magnetic excitations in randomly anisotropic ferromagnets
A K Bhattacharjee, B Coqblin, R Jullien, M Plischke, D Zobin and M J Zuckermann 1793
Electron spin resonance of rare earth ions in metallic beryllides: crystalline field 'single-ion' effects
J M Bloch, D Davidov, H D Dokter, I Felner and D Shaltiel 1805
Hyperfine fields and magnetic interactions in Heusler alloys
Le Dang Khoi, P Veillet and I A Campbell 1811
Hyperfine fields at sp elements on Mn sites in Heusler alloys
Le Dang Khoi, P Veillet and I A Campbell 1827
Corrigendum 1833

NO 9 SEPTEMBER 1978

LETTERS TO THE EDITOR

De Haas–van Alphen effect in YAl_2 *E Seitz* L189
Effect of modulation on the radiofrequency size effect
R Tkach, M D Rosenthal and D K Wagner L193
Anomalous low-temperature properties of amorphous magnets with random anisotropy axes (C2111)
I Ya Korenblit and E F Shender L197
The distribution of hyperfine fields in two alloys of iron as a function of temperature and pressure
P C Riedi L201
Corrigendum *D Glötzel* L205

PAPERS

Interstitial-solute complexes in an irradiated Al–Fe alloy
L E Rehn, K-H Robrock and H Jacques 1835
Temperature-dependent positron trapping in nickel after 5 MeV electron irradiation
J A Jackman, C W Schulte and J L Campbell 1845
Segregation in irradiated alloys: The inverse Kirkendall effect and the effect of constitution on void swelling *A D Marwick* 1849
A model for lattice dynamics of face centred cubic metals *R K Singh and Sunil Kumar* 1863

Nonlocal effects in the lattice dynamics of HCP transition metals *J C Upadhyaya* 1873
Electronic structure and ordering of sp defects in transition metals
C Demangeat, F Gautier and J C Parlebas 1879
Linear-chain model to explain density of states and T_c changes with atomic ordering *A Junod* 1891
Quantum kinetic equation for electrons in metals *V N Fleurov and A N Kozlov* 1899
The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films
S J Raeburn and R V Aldridge 1917
Anisotropic electron scattering in the resistivity of strained aluminium, palladium and silver
J A Rowlands and S B Woods 1929
Pulsed Ettingshausen cooling in bismuth *K Woodbridge and M E Ertl* 1941
The magnetoresistance of Pd-based dilute ferromagnetic alloys
A Hamzić, S Senoussi, I A Campbell and A Fert 1947
The thermopowers and resistivities of copper alloyed with homovalent and polyvalent impurities and the validity of the Nordheim–Gorter relation *C A Rahim and R D Barnard* 1957
First-principles calculation of the high-temperature thermoelectric power of potassium
C R Leavens and Roger Taylor 1969
Thermopower measurements on bismuth from 9 K down to 40 mK *C Uher and W P Pratt Jr* 1979
Relaxation of remanent magnetisation in a model spin glass *M Fibich* 1991
High-field and high-pressure magnetic behaviour of $Fe_xCo_{1-x}Ti$ alloys *J Beille and F Towfiq* 1999
Elastic neutron scattering cross section in random binary alloys *F Sacchetti* 2011
RKKY interaction and conduction electron polarisation *J Geldenhuys and D H Wiid* 2021
Nonlocal pseudopotential calculations of Knight shifts in liquid metals and alloys: I. Pure metals
G A Styles and G Tranfield 2035
Magnetic anisotropy and the Mössbauer effect in ^{161}Dy
G J Bowden, R K Day and P Martinson 2051
Mössbauer effect in hydrogenated Fe–Ni alloys *T Sohmura and F E Fujita* 2061
Corrigendum *M A Continentino and N Rivier* 2073

NO 10 OCTOBER 1978

LETTERS TO THE EDITOR

Long-range solute–host interaction in dilute Al–Mg alloys
K Werner, W Schmatz, G S Bauer, E Seitz, H J Fenzl and A Baratoff L207
Observation of spinel particles in sintered WC–Co hard metal by transmission electron microscopy
H le Roux L213
Acoustic phonons at the (111) surface of chromium *V Bortolani, F Nizzoli and G Santoro* L215
Magnetoresistivity of amorphous rare earth alloys *A K Bhattacharjee and B Coqblin* L221
Mictomagnet AuFe: frequency dependence of the susceptibility maximum *G Zibold* L229
The hyperfine field of Mn in hexagonal Co *I A Campbell, A Allsop and N J Stone* L235
Determination of the antiferromagnetic phase boundary in Cr–Fe alloys
S K Burke and B D Rainford L239

PAPERS

Determination of the lattice parameter of potassium by neutron scattering
G Stetter, W Adlhart, G Fritsch, E Steichele and E Lüscher 2075
About the magnetic behaviour of Fe_xMe_{1-x}(Me = Si, Ge, Sn) amorphous alloys
Ph Mangin, M Piecuch, G Marchal and Chr Janot 2085
Phonon anomaly near a Fermi surface topological transition *L Dagens* 2093
^{57}Fe Mössbauer measurements in ZnFe alloys and the Zn-rich intermetallic compound $Zn_{13}Fe$
J B Dunlop, J M Williams and G Longworth 2115
The low temperature thermal expansion of $Al_{10}V$ *G J Legg and P C Lanchester* 2125
Dispersion and damping of volume plasmons in polycrystalline aluminium and indium
K J Krane 2133
Magnetism in Hume-Rothery alloys *J Smit* 2139

Cyclotron resonance line shape and cyclotron waves for a spherical Fermi surface
K Saermark, J Lebech and H Johansen 2145
Hall coefficient of $TaS_{2-x}Se_x$ layer compounds
G K Bristow, C A Cornelius, T F Smith and T R Finlayson 2165
Flux pinning in Pb–Na: a peak-effect superconductor *P R Bissell and D J Sandiford* 2173
Spin waves in disordered itinerant-electron ferromagnets *D M Edwards and W-Y P Fung* 2183
The low-temperature magnetic structure of hexagonal FeGe
J B Forsyth, C Wilkinson and P Gardner 2195
Basal plane magnetocrystalline anisotropy and ferromagnetic ordering in TbSc alloys
W D Corner and J Welford 2203
Angular resolved photoelectron spectroscopy of copper *E Dietz and U Gerhardt* 2213

NO 11 NOVEMBER 1978

LETTERS TO THE EDITOR

High-field magnetoresistance of point defects *R Landauer* L245
Corrections to electrical resistivities from the non-Hermiticity of the pseudopotential
C B So and S Wang L251
Superconductivity in amorphous $La_{78}Au_{22}$ under high pressure
G Fasol, J S Schilling, C C Tsuei and F Zimmer L257
Fermi liquid description for high-field magnetisation of YCo_2 and $LuCo_2$ *S Misawa* L263
The de Haas–van Alphen effect in praseodymium
S J C Irvine, R C Young, D Fort and D W Jones L269
Knight shift and electrical resistivity of liquid Li–Ir alloys
C van der Marel, E P Brandenburg and W van der Lugt L273
Comments on the effect of carbon on the structural stabilisation of iron *C Demangeat* L277
Corrigendum *K A Chao, A M Oleś and J Spałek* L281

PAPERS

On the curvature of Arrhenius plots of diffusion and its disappearance under pressure with a single-vacancy model *K Alexopoulous and P Varotsos* 2227
The rate of production of freely migrating defects in γ-irradiated Ag–24 at% Zn
D Beretz and M Halbwachs 2233
Electronic structure of vacancies and vacancy clusters in simple metals
M Manninen and R M Nieminen 2243
Self-consistent scheme and graded disorder in polycrystal elasticity *E Kröner* 2261
Elastic properties of $(Hf,Zr)V_2$ superconducting compounds
T R Finlayson, E J Lanston, M A Simpson, E E Gibbs and T F Smith 2269
Extended Cauchy discrepancies: measures of non-central non-isotropic interactions in crystals
C S G Cousins and J W Martin 2279
Specific heat of lutetium from 1·6 to 18 K *W A Taylor, M B Levy and F H Spedding* 2293
Electronic structure of ScRu, ScRh, ScPd and ScAg *J Kübler* 2301
Effect of hydrostatic pressure on electronic states in palladium
H Skriver, W Venema, E Walker and R Griessen 2313
Bandstructure of Mg and the effect of correlation
R Asokamani, K Iyakutti, R S Rao and V Devanathan 2323
Study of the electron–phonon interaction in cadmium using high frequency Azbel'–Kaner cyclotron resonance *R Carin, P Goy and W M MacInnes* 2335
Hall coefficient of thin films in a mean free path model *C R Tellier, M Rabel and A J Tosser* 2357
Resistivity and magnetoresistance anisotropy associated with s, p impurities in ferromagnetic Ni and Co *R N Ross, D C Price and Gwyn Williams* 2367
Magnetic properties of superconducting $Dy_xCe_{1-x}Ru_2$ *Y Asada* 2381
Magnetic properties of Fe_3Sn_2: II. Neutron diffraction study
B Malaman, D Fruchart and G Le Caër 2389
Spin wave resonance in single-crystal nickel films *D P Mitra and J S S Whiting* 2401
Hyperfine field distributions in amorphous $(Fe_xNi_{1-x})_{80}P_{14}B_6$
C L Chien, D Musser, F E Luborsky and J L Walter 2407

A contribution to the theory of spin waves in a metallic spin glass *H Takayama* 2417
Longitudinal conduction electron spin waves *A Jánossy and J Kollár* 2429

NO 12 DECEMBER 1978

LETTERS TO THE EDITOR

A simple computer modelling of metallic amorphous structure *K Maeda and S Takeuchi* L283
A comment on the paper by Fielek on 'The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' *M M Shukla* L289
A reply to the comments of M M Shukla on 'The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' *B L Fielek* L293
The low-temperature dependence of positron annihilation momentum spectra in Al *J E Dickman and K G Lynn* L295
Metastable states in the random anisotropy model for amorphous ferromagnets *R Harris and S H Sung* L299

PAPERS

Lattice dynamics of thorium in a resonance model pseudopotential theory *B A Oli* 2441
Nonlocality and the energy of alloy formation *J A Alonso and L A Girifalco* 2455
The atomic sphere approximation to the KKR–CPA; electronic structure of paramagnetic Cu_cNi_{1-c} alloys *W M Temmerman, B L Gyorffy and G M Stocks* 2461
An improved Fielek model for transition metals *B P Singh, L P Pathak and M P Hemkar* 2493
Theory of charge perturbation due to impurities in transition metals *S Prakash* 2497
The g tensor of d holes in palladium *T S Rahman, J C Parlebas and D L Mills* 2511
Anomalies in specific heat and thermal expansion of FCC iron alloys *W Bendick, H H Ettwig and W Pepperhoff* 2525
Temperature dependence of the electrical resistivity of FCC iron alloys *W Bendick and W Pepperhoff* 2535
The electrical resistivity and deviations from Matthiessen's rule of single-crystal pure Cd and dilute Cd–Mg alloys *J A Rowlands, B J Stackhouse and S B Woods* 2545
Thermopower and thermal conductivity of arsenic from 8 K down to 0·3 K *C Uher* 2559
Dynamic longitudinal spin susceptibility of Bloch electrons *J Callaway and A K Chatterjee* 2569
The spin wave stiffness constant in ferromagnetic partially ordered alloys *I Takahashi and D M Edwards* 2579
Neutron scattering from MnCu alloys near the critical composition: effects of stress and aging *S J Campbell and P Wells* 2593
Magnetic incoherent elastic scattering from an antiferromagnetic CrFe alloy *T M Holden and E Fawcett* 2609
Magnetic excitations in HoZn near the spin rotation temperature *B Hennion and J Pierre* 2617
An investigation of binary system Fe–Se *B K Jain, A K Singh and K Chandra* 2625
Pseudopotential theory of the dielectric function of Al—the volume plasmon dispersion *H Bross* 2631

SUBJECT INDEX 2651

AUTHOR INDEX (with titles) 2671

Subject index

The 1978 subject index is based on the ICSU/AB International Classification for Physics; articles are listed, as appropriate, under one or more of the following headings:

30.00 **ATOMIC AND MOLECULAR PHYSICS**

32.00 ATOMIC SPECTRA AND INTERACTIONS WITH PHOTONS
32.80 Photon interactions with atoms
32.80H *Auger effect and inner-shell ionization*

60.00 **CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES**

61.00 STRUCTURE OF LIQUIDS AND SOLIDS; CRYSTALLOGRAPHY
61.10 X-ray determination of structures
61.10D *Theories of diffraction and scattering*
61.10F *Experimental techniques*
61.12 Neutron determination of structures
61.14 Electron determination of structures
61.14D *Theories of diffraction and scattering*
61.14F *Experimental diffraction and scattering*
61.16 Other determination of structures
61.16F *Field-ion microscopy determinations*
61.20 Classical, semiclassical, and quantum theories of liquid structure
61.25 Studies of specific liquid structures
61.25M *Liquid metals*
61.40 Amorphous and polymeric materials
61.50 Crystalline state
61.50L *Crystal binding*
61.55 Specific structure of elements and alloys
61.55H *Alloys*
61.70 Defects in crystals
61.70B *Interstitials and vacancies*
61.70E *Other point defects*
61.70G *Dislocations: theory*
61.70R *Crystal impurities: general*
61.70W *Impurity concentration, distribution, and gradients*
61.80 Radiation damage and other irradiation effects
61.80E *Gamma rays*
61.80F *Electrons and positrons*
61.80J *Ions*

62.00 MECHANICAL AND ACOUSTIC PROPERTIES OF CONDENSED MATTER
62.10 Mechanical properties of liquids
62.20 Mechanical properties of solids (related to microscopic structure)
62.20D *Elastic constants*
62.40 Anelasticity, internal friction, and mechanical resonances
62.65 Acoustic properties of solids
62.80 Ultrasonic relaxation

63.00 LATTICE DYNAMICS AND CRYSTAL STATISTICS
63.10 General theory
63.20 Phonons and vibrations in crystal lattices
63.20D *Phonon states and bands, normal modes, and phonon dispersion*
63.20M *Phonon–defect interactions*
63.20P *Localized modes*
63.70 Statistical mechanics of lattice vibrations
63.90 Other topics in lattice dynamics and crystal statistics

64.00 EQUATIONS OF STATE, PHASE EQUILIBRIA, AND PHASE TRANSITIONS
64.60 General studies of phase transitions
64.70 Phase equilibria, phase transitions, and critical points of specific substances
64.70D *Solid–liquid transitions*
64.70K *Solid–solid transitions*
64.75 Solubility, segregation, and mixing

65.00 THERMAL PROPERTIES OF CONDENSED MATTER
65.20 Heat capacities of liquids
65.40 Heat capacities of solids
65.50 Thermodynamic properties and entropy
65.70 Thermal expansion and thermomechanical effects
65.90 Other topics in thermal properties of condensed matter

M.P.(F). 8/12—N

66.00 TRANSPORT PROPERTIES OF CONDENSED MATTER (NONELECTRONIC)
66.10 Diffusion and ionic conduction in liquids
66.30 Diffusion in solids
66.30F *Self-diffusion in metals, semimetals, and alloys*
66.30J *Diffusion, migration, and displacement of impurities*
66.30L *Diffusion, migration, and displacement of other defects*

68.00 SURFACES AND INTERFACES; THIN FILMS AND WHISKERS
68.20 Solid surface structure
68.30 Dynamics of solid surfaces and interface vibrations
68.48 Solid–solid interfaces
68.55 Thin film growth, structure, and epitaxy
68.90 Other topics in the structure and nonelectronic properties of surfaces and thin films

70.00 **CONDENSED MATTER: ELECTRONIC STRUCTURE, ELECTRICAL, MAGNETIC, AND OPTICAL PROPERTIES**

71.00 ELECTRON STATES
71.10 General theories and computational techniques
71.20 Electronic density of states determinations
71.25 Nonlocalized single-particle electronic states
71.25C *Techniques of band-structure calculation (general theory, applications of group theory, analytic continuation, etc.)*
71.25H *Measurement of Fermi surface parameters*
71.25J *Effective mass and g-factors*
71.25L *Electron energy states in liquid metals*
71.25P *Band structure of crystalline metals*
71.38 Polarons and electron–phonon interactions
71.45 Collective effects
71.45G *Exchange, correlation, dielectric and magnetic functions, plasmons*
71.50 Localized single-particle electronic states
71.55 Impurity and defect levels
71.65 Positron states
71.70 Level splitting and interactions
71.70G *Exchange interactions*
71.90 Other topics in electron states

72.00 ELECTRONIC TRANSPORT IN CONDENSED MATTER
72.10 Theory of electronic transport; scattering mechanisms
72.15 Electronic conduction in metals and alloys
72.15C *Electrical and thermal conduction in amorphous and liquid metals and alloys*
72.15E *Electrical and thermal conduction in crystalline metals and alloys*
72.15G *Galvanomagnetic and other magnetotransport effects*
72.15J *Thermoelectric effects*
72.15L *Relaxation times and mean free paths*
72.15Q *Scattering mechanisms and Kondo effect*
72.20 Conductivity phenomena in semiconductors and insulators
72.20D *General theory, scattering mechanisms*
72.20P *Thermoelectric effects*
72.30 High-frequency effects; plasma effects
72.50 Acoustoelectric effects

73.00 ELECTRONIC STRUCTURE AND ELECTRICAL PROPERTIES OF SURFACES, INTERFACES, AND THIN FILMS
73.20 Electronic surface states
73.40 Interfaces

74.00 SUPERCONDUCTIVITY
74.10 Occurrence, critical temperature
74.20 Theory
74.30 General properties
74.30C *Magnetization curves, Meissner effect, penetration depth*
74.30G *Response to electromagnetic fields, nuclear magnetic resonance, ultrasonic attenuation*
74.60 Type-II superconductivity
74.60G *Flux pinning; fluxon–defect interactions*
74.70 Superconducting materials
74.70D *Material effects on T_c, K, critical currents*

75.00 MAGNETIC PROPERTIES AND MATERIALS
75.10 General theory and models of magnetic ordering
75.10D *Crystal-field theory and spin Hamiltonians*
75.10H *Ising and other classical spin models*
75.10J *Heisenberg and other quantized localized spin models*
75.10L *Band and itinerant models*
75.20 Diamagnetism and paramagnetism
75.20E *Metals and alloys*
75.20H *Local moment in dilute alloys; Kondo effect*
75.25 Spin arrangements in magnetically ordered materials (neutron studies, etc.)
75.30 Magnetically ordered materials, other intrinsic properties

75.30C *Saturation moments and magnetic susceptibility*
75.30D *Spin waves*
75.30E *Exchange and superexchange interactions*
75.30G *Anisotropy*
75.30H *Magnetic impurity interactions*
75.40 Critical-point effects, specific heats, short-range order
75.50 Studies of specific magnetic materials
75.50B *Ferromagnetism of Fe and its alloys*
75.50C *Ferromagnetism of other metals*
75.50E *Antiferromagnetics*
75.50G *Ferrimagnetics*
75.50K *Amorphous magnetic materials*
75.60 Domain effects, magnetization curves, and hysteresis
75.60C *Domain walls and domain structure*
75.70 Magnetic films and plates
75.80 Magnetomechanical and magnetoelectric effects, magnetostriction

76.00 MAGNETIC RESONANCES AND RELAXATION IN CONDENSED MATTER; MÖSSBAUER EFFECT
76.30 Electron spin resonance and relaxation
76.30D *Ions and impurities: general*
76.30K *Rare-earth ions and impurities*
76.30P *Conduction electrons*
76.40 Diamagnetic and cyclotron resonances
76.50 Ferromagnetic, antiferromagnetic, and ferrimagnetic resonances; spin wave resonance
76.60 Nuclear magnetic resonance and relaxation
76.60C *Chemical and Knight shifts*
76.60E *Relaxation effects*
76.60G *Quadrupole resonance*
76.60L *Spin echoes*
76.80 Mössbauer effect; other gamma-ray spectroscopy

77.00 DIELECTRIC PROPERTIES AND MATERIALS
77.20 Permittivity

78.00 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY AND OTHER INTERACTIONS OF MATTER WITH PARTICLES AND RADIATION
78.35 Brillouin and Rayleigh scattering
78.65 Optical properties of thin films
78.70 Other interactions of matter with particles and radiation
78.70D *X-ray absorption and absorption edges*
78.70E *X-ray emission threshold and fluorescence*

79.00 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS; IMPACT PHENOMENA
79.20 Impact phenomena
79.20F *Electron impact: Auger emission*
79.60 Photoemission and photoelectron spectra

80.00 **CROSS-DISCIPLINARY PHYSICS AND RELATED AREAS OF SCIENCE AND TECHNOLOGY**

81.00 MATERIALS SCIENCE
81.30 Phase diagrams and microstructures developed by solidification and solid–solid phase transformations
81.30M *Precipitation (any material)*
81.60 Corrosion, oxidation and surface treatments

30.00 ATOMIC AND MOLECULAR PHYSICS

32.00 ATOMIC SPECTRA AND INTERACTION WITH ATOMS

32.80 Photon interactions with atoms

32.80H Auger effect and inner-shell ionisation

A plasmon gain satellite in the KLL Auger spectrum of Mg and Al metal *P M Th M van Attekum* FL169

60.00 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES

61.00 STRUCTURE OF LIQUIDS AND SOLIDS: CRYSTALLOGRAPHY

61.10 X ray determination of structures

Huang diffuse x ray scattering from lattice strains in high-concentration Ta–H alloys *H Metzger and H Peisl* F391

Hexagonal phase in ultra-thin films of lead *Zvi Ovadyahu* F403

The structure of the diffuse omega phase observed in Zr and Ti alloys *R Pynn* F1

61.10D Theories of diffraction and scattering

Long-range solute–host interactions in dilute Al–Mg alloys *K Werner, W Schmatz, G S Bauer, E Seitz, H J Fenzl and A Baratoff* FL207

61.10F Experimental techniques

A high-speed determination of the volume fraction of ferrite in austenitic stainless steel by EDXRD *E S U Laine* F1343

61.12 Neutron determination of structures

Neutron diffraction study of β iron titanium deuteride *P Thompson, M A Pick, F Reidinger, L M Corliss, J M Hastings and J J Reilly* FL75

Determination of the antiferromagnetic phase boundary in Cr–Fe alloys *S K Burke and B D Rainford* FL239

The structure of the diffuse omega phase observed in Zr and Ti alloys *R Pynn* F1

Diffuse neutron scattering in niobium containing interstitial oxygen impurities *C-H de Novion and W Just* F1627

Determination of the lattice parameter of potassium by neutron scattering *G Stetter, W Adlhart, G Fritsch, E Steichele and E Lüsch* F2075

61.14 Electron determination of structures

Observation of spinel particles in sintered WC–Co hard metal by transmission electron microscopy *H le Roux* FL213

A low-temperature x ray diffraction study of Pd and some Pd–H alloys *H W King and F D Manchester* F15

61.14D Theories of diffraction and scattering

Dynamical structure factor in liquid rubidium *F Yoshida* F411

61.14F Experimental diffraction and scattering

Dynamical structure factor in liquid rubidium *F Yoshida* F411

Thin film studies of yttrium, yttrium hydrides and yttrium oxide *A E Curzon and O Singh* F1619

61.16 Other determination of structures

61.16F Experimental diffraction and scattering

Measurement of the field evaporation rate of several transition metals *T T Tsong* F1349

61.20 Classical, semiclassical, and quantum theories of liquid structure

Effective interatomic potentials from liquid metal structure data *M Hasegawa and W H Young* FL81

The static structure factors of a liquid sodium–potassium alloy *G Jacucci, I R McDonald and R Taylor* FL121

Dynamical structure factor in liquid rubidium *F Yoshida* F411

61.25 Studies of specific liquid structures

61.25M Liquid metals

Monte Carlo study of the structure of expanded fluid rubidium *Raymond D Mountain* F1637

61.40 Amorphous and polymeric materials

Search for Bernal holes in a realistic structural model of amorphous iron *R Yamamoto, K Haga, H Shibuta and M Doyama* FL179

A simple computer modelling of metallic amorphous structure *K Maeda and S Takeuchi* FL283

Hyperfine field distributions in amorphous $(Fe_xNi_{1-x})_{80}P_{14}B_6$ *C L Chien, D Musser, F E Luborsky and J L Walter* F2407

About the magnetic behaviour of Fe_xMe_{1-x} (Me = Si, Ge, Sn) amorphous alloys *Ph Mangin, M Piecuch, G Marchal and Chr Janot* F2085

61.50 Crystalline state

61.50L Crystal binding

Observation of spinel particles in sintered WC–Co hard metal by transmission electron microscopy *H le Roux* FL213

61.55 Specific structure of elements and alloys

61.55H Alloys

Nearest-neighbour distance and atomic properties in CsCl type intermetallic compounds *T L Liu* F717

Strength, symmetry and distribution of electric quadrupole interactions at ^{181}Ta impurities in hafnium–zirconium alloys *R L Rasera, T Butz, A Vasquez, H Ernst, G K Shenoy, B D Dunlap, R C Reno and G Schmidt* F1579

61.70 Defects in crystals
Long-range solute–host interactions in dilute Al–Mg alloys *K Werner, W Schmatz, G S Bauer, E Seitz, H J Fenzl and A Baratoff* FL207
Lattice statics calculation of the surface relaxation in metals *R Benedek* F1119
On the curvature of Arrhenius plots of diffusion and its disappearance under pressure with a single-vacancy model *K Alexopoulos and P Varotsos* F2227
The rate of production of freely migrating defects in γ-irradiated Ag–24 at% Zn *D Beretz et M Halbwachs* F2233
61.70B Interstitials and vacancies
Positron annihilation studies of quenched aluminium *W R Wampler and W B Gauster* FL1
Vacancy formation energy in iron by positron annihilation *S M Kim and W J L Buyers* FL103
A note on electrons around vacancies in metals *S Yoshioki and G Mori* FL125
Investigation of Bragg reflections in α NbD_x under hydrostatic pressure by γ ray diffraction *O Blaschko, R Klemencic, P Weinzierl and O J Eder* FL149
A correlation between the size effect of impurity atoms and their trapping radii for migrating self-interstitials in copper and aluminium *F Dworschak, C Dimitrov and O Dimitrov* FL153
The interaction of self interstitials with undersized solute atoms in electron-irradiated aluminium *C Dimitrov, O Dimitrov and F Dworschak* F1031
Vacancy loss during quenching of low dislocation density crystals *R M Emrick* F1353
On the analysis of the defect-experimental data in metals *Panayiotis Antoniou Varotsos* F1373
Diffuse neutron scattering in niobium containing interstitial oxygen impurities *C-H de Novion and W Just* F1627
Interaction of hydrogen and vacancies in copper investigated by positron annihilation *B Lengeler, S Mantl and W Triftshäuser* F1691
Interstitial-solute complexes in an irradiated Al–Fe alloy *L E Rehn, K-H Robrock and H Jacques* F1835
Temperature-dependent positron trapping in nickel after 5 MeV electron irradiation *J A Jackman, C W Schulte and J L Campbell* F1845
Electronic structure and ordering of sp defects in transition metals *C Demangeat, F Gautier and J C Parlebas* F1879
On the curvature of Arrhenius plots of diffusion and its disappearance under pressure with a single-vacancy model *K Alexopoulos and P Varotsos* F2227
Electronic structure of vacancies and vacancy clusters in simple metals *M Manninen and R M Nieminen* F2243
61.70E Other point defects
Huang diffuse x ray scattering from lattice strains in high-concentration Ta–H alloys *H Metzger and H Peisl* F391
Atomic mobility under irradiation: Experimental verification of the phenomenological model *M Halbwachs* F1053
Temperature dependence of monovacancy formation parameters for simple metals: II. Extension of the Kanzaki lattice statics method to finite temperatures *C H Leung and M J Stott* F1379
61.70G Dislocations: theory
The elastic energy of dislocation loops in anisotropic media *G Schoeck and H O K Kirchner* FL43
61.70R Crystal impurities: general
Pseudopotential calculation of the screening of a helium atom in aluminium *R Benedek* F807
61.70W Impurity concentration, distribution, and gradients
Strength, symmetry and distribution of electric quadrupole interactions at ^{181}Ta impurities in hafnium–zirconium alloys *R L Rasera, T Butz, A Vasquez, H Ernst, G K Shenoy, B D Dunlap, R C Reno and G Schmidt* F1579
61.80 Radiation damage and other irradiation effects
The interaction of self interstitials with undersized solute atoms in electron-irradiated aluminium *C Dimitrov, O Dimitrov and F Dworschak* F1031
Atomic mobility under irradiation: Experimental verification of the phenomenological model *M Halbwachs* F1053
Interstitial-solute complexes in an irradiated Al–Fe alloy *L E Rehn, K-H Robrock and H Jacques* F1835
61.80E Gamma rays
The rate of production of freely migrating defects in γ-irradiated Ag–24 at% Zn *D Beretz et M Halbwachs* F2233
61.80F Electrons and positrons
Some systematics of positron–vacancy interactions in metals *G M Hood and B T A McKee* F1457
Temperature-dependent positron trapping in nickel after 5 MeV electron irradiation *J A Jackman, C W Schulte and J L Campbell* F1845

61.80J Ions
Segregation in irradiated alloys: The inverse Kirkendall effect and the effect of constitution on void swelling *A D Marwick* F1849

62.00 MECHANICAL AND ACOUSTIC PROPERTIES OF CONDENSED MATTER
62.10 Mechanical properties of liquids
On the collective excitations and short-range order in liquid alkaline metals *M Goda and S Osabe* F1019
62.20 Mechanical properties of solids (related to microscopic structure)
Elastic properties of (Hf, Zr)V_2 superconducting compounds *T R Finlayson, E J Lanston, M A Simpson, E E Gibbs and T F Smith* F2269
62.20D Elastic constants
An ultrasonic study of the magnetic phases of dysprosium *C Isci and S B Palmer* F247
Temperature dependence of the elastic constants in alkali metals *V G Vaks, E V Zarochentsev, S P Kravchuk and V P Safronov* F725
The magnetic field dependence of the low-temperature elastic constants of neodymium *S B Palmer and J T Lenkkeri* F1359
An investigation of elastic moduli of vanadium–chromium alloys *J T Lenkkeri and E E Lähteenkorva* F1643
Self-consistent scheme and graded disorder in polycrystal elasticity *E Kröner* F2261
Extended Cauchy discrepancies: measures of non-central, non-isotropic interactions in crystals *C S G Cousins and J W Martin* F2279
62.40 Anelasticity, internal friction, and mechanical resonances
Interstitial-solute complexes in an irradiated Al–Fe alloy *L E Rehn, K-H Robrock and H Jacques* F1835
Elastic properties of (Hf, Zr)V_2 superconducting compounds *T R Finlayson, E J Lanston, M A Simpson, E E Gibbs and T F Smith* F2269
62.65 Acoustic properties of solids
Acoustic phonons at the (111) surface of chromium *V Bortolani, F Nizzoli and G Santoro* FL215
62.80 Ultrasonic relaxation
An ultrasonic study of the magnetic phases of dysprosium *C Isci and S B Palmer* F247
Polarisation domain effects on ultrasonic velocity antiferromagnetic chromium *D A Pink, M O Steinitz, D J Stanley, E Fawcett and J Perz* F961
Ultrasonic attenuation in niobium II: measurements near B_{c2} *E M Forgan and C E Gough* F1073

63.00 LATTICE DYNAMICS AND CRYSTAL STATISTICS
Theory of energy bands and related properties of 4d transition metals: III. s and d contributions to the equation of state *D G Pettifor* F219
Effect of valence fluctuations on lattice vibrations *S K Ghatak and K H Bennemann* F571
Enhanced lattice specific heat due to gold impurities in Cu–Au alloys *B D Indu, M D Tiwari and Bal K Agrawal* F755
A model for lattice dynamics of face centred cubic metals *R K Singh and Sunil Kumar* F1863
63.10 General theory
The nonequivalence of angular force models of de Launay and Clark, Gazis and Wallis for FCC metals *M M Shukla* FL131
A comment on the paper by Fielek on 'the inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' *M M Shukla* FL289
A reply to the comments by M M Shukla on 'The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' *B L Fielek* FL293
Crystal equilibrium and lattice dynamics of chromium and vanadium *R C Rai and M P Hemkar* F45
Phonon anomaly near a Fermi surface topological transition *L Dagens* F2093
Lattice dynamics of thorium in a resonance model pseudopotential theory *B A Oli* F2441
63.20 Phonons and vibrations in crystal lattices
Resonant model potential and the phonon frequencies in copper *J C Upadhyaya and L Dagens* FL21
The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Cheveau *B L Fielek* F577
Helicon–phonon interaction in metals for parallel wave propagation *Rajam Sekher and K S Viswanathan* F1099
A model for lattice dynamics of face centred cubic metals *R K Singh and Sunil Kumar* F1863
Nonlocal effects in the lattice dynamics of HCP transition metals *J C Upadhyaya* F1873
^{57}Fe Mössbauer measurements in ZnFe alloys and the Zn-rich intermetallic compound $Zn_{13}Fe$ *J B Dunlop, J M Williams and G Longworth* F2115
63.20D Phonon states and bands, normal modes, and phonon dispersion
A model for lattice dynamics of face centred cubic metals *R K Singh and Sunil Kumar* F1863
Nonlocal effects in the lattice dynamics of HCP transition metals *J C Upadhyaya* F1873

63.20M Phonon–defect interactions
Scattering phaseshifts and resonances for line defects *R A Brown* F825
Helicon–phonon interaction in metals for parallel wave propagation *Rajam Sekher and K S Viswanathan* F1099
63.20P Localised modes
The strange case of $Al_{10}V$: Well defined local modes in a metallic solid *A D Caplin and L Kay Nicholson* F51
63.70 Statistical mechanics of lattice vibrations
Enhanced lattice specific heat due to gold impurities in Cu–Au alloys *B D Indu, M D Tiwari and Bal K Agrawal* F755
Self-consistent scheme and graded disorder in polycrystal elasticity *E Kröner* F2261
63.90 Other topics in lattice dynamics and crystal statistics
A model for lattice dynamics of face centred cubic metals *R K Singh and Sunil Kumar* F1863

64.00 EQUATIONS OF STATE, PHASE EQUILIBRIA, AND PHASE TRANSITIONS
64.60 General studies of phase transitions
Positrons as the probe of phase transformations in Cu–Mn alloy *H Fukushima and M Doyama* F205
64.70 Phase equilibria, phase transitions, and critical points of specific substances
Experimental determination of critical data of liquid molybdenum *U Seydel and W Fucke* FL157
Strain and the spin-flip transition in chromium: Landau theory *W B Cowan* F423
64.70D Solid–liquid transitions
A precise determination of the freezing point of copper *P B Coates and J W Andrews* F277
Thermophysical properties of solid and liquid molybdenum and palladium *U Seydel and U Fischer* F1397
64.70K Solid–solid transitions
Comments on the effect of carbon on the structural stabilisation of iron *C Demangeat* FL277
64.75 Solubility, segregation and mixing
Segregation in irradiated alloys: The inverse Kirkendall effect and the effect of constitution on void swelling *A D Marwick* F1849
Nonlocality and the energy of alloy formation *J A Alonso and L A Girifalco* F2455

65.00 THERMAL PROPERTIES OF CONDENSED MATTER
65.20 Heat capacities of liquids
Monte Carlo study of the structure of expanded fluid rubidium *Raymond D Mountain* F1637
65.40 Heat capacities of solids
The strange case of $Al_{10}V$: Well defined local modes in a metallic solid *A D Caplin and L Kay Nicholson* F51
Specific heat of lutetium from 1·6 to 18 K *W A Taylor, M B Levy and F H Spedding* F2293
Anomalies in specific heat and thermal expansion of FCC iron alloys *W Bendick, H H Ettwig and W Pepperhoff* F2525
65.50 Thermodynamic properties and entropy
Entropy–volume correlation for some homovalent disordered solid alloys *M Hasegawa and W H Young* F1105
On the analysis of the defect-experimental data in metals *Panayiotis Antoniou Varotsos* F1373
Temperature dependence of monovacancy formation parameters for simple metals: II. Extension of the Kanzaki lattice statics method to finite temperatures *C H Leung and M J Stott* F1379
Einstein's temperature and vibrational entropy in relation to the electronic structure: II. Dilute alloys of transition and noble metals *G Moraitis and F Gautier* F1653
65.70 Thermal expansion and thermomechanical effects
Low-temperature lattice properties of PdD alloys *J M Rowe* FL7
The thermal expansion coefficient of the defect-entropy volume *P Varotsos* FL9
Experimental determination of critical data of liquid molybdenum *U Seydel and W Fucke* FL157
Anomalous thermal expansion of dilute CuMn and AgMn alloys below 50 K *J A Khan and D Griffiths* F763
Thermophysical properties of solid and liquid molybdenum and palladium *U Seydel and U Fischer* F1397
Measurement of the low-frequency viscosity of some polycrystalline metals and alloys *C E Bottani, P M Ossi and F Rossitto* F1671
The low temperature thermal expansion of $Al_{10}V$ *G J Legg and P C Lanchester* F2125
66.00 TRANSPORT PROPERTIES OF CONDENSED MATTER (NONELECTRONIC)
66.10 Diffusion and ionic conduction in liquids
Nuclear spin relaxation in liquid mercury and the quadrupolar relaxation mechanism *J Marsden, R L Havill and J M Titman* F1321
66.30 Diffusion in solids
The influence of impurities on interstitial diffusion *K W Kehr, D Richter and R H Swendsen* F433
An atom size effect in tracer diffusion *G M Hood* F1677

Interaction of hydrogen and vacancies in copper investigated in positron annihilation *B Lengeler, S Mantl and W Triftshäuser* F1691

66.30F Self-diffusion in metals, semimetals, and alloys

Generalised coarsening theory in binary alloys *H P Aubauer* F375

Segregation in irradiated alloys: The inverse Kirkendall effect and the effect of constitution on void swelling *A D Marwick* F1849

66.30J Diffusion, migration and displacement of impurities

Determination of the hydrogen diffusion coefficient in Ti_2Ni by means of quasielastic neutron scattering *J Töpler, E Lebsanft and R Schätzler* FL25

Generalised coarsening theory in binary alloys *H P Aubauer* F375

Atomic mobility under irradiation: Experimental verification of the phenomenological model *M Halbwachs* F1053

The influence of ion implantation on the thermal oxidation of copper *J R Morris, R A Collins and G Dearnaley* F1333

66.30L Diffusion, migration and displacement of other defects

The influence of ion implantation on the thermal oxidation of copper *J R Morris, R A Collins and G Dearnaley* F1333

68.00 SURFACES AND INTERFACES: THIN FILMS AND WHISKERS

68.20 Solid surface structure

Lattice statics calculation of the surface relaxation in metals *R Benedek* F1119

68.30 Dynamics of solid surfaces and interface vibrations

Acoustic phonons at the (111) surface of chromium *V Bortolani, F Nizzoli and G Santoro* FL215

Inelastic tunnelling spectra of chemisorbed atoms *Min-Hsiung Tsai* F589

68.48 Solid–solid interfaces

Generalised coarsening theory in binary alloys *H P Aubauer* F375

68.55 Thin film growth, structure and epitaxy

Comments on 'Hexagonal phase in ultra-thin films of lead' *G D T Spiller and P J Dobson* FL135

Thin film studies of yttrium, yttrium hydrides and yttrium oxide *A E Curzon and O Singh* F1619

68.90 Other topics in the structure and nonelectronic properties of surfaces and thin films

Inelastic tunnelling spectra of chemisorbed atoms *Min-Hsiung Tsai* F589

70.00 CONDENSED MATTER: ELECTRONIC STRUCTURE, ELECTRICAL, MAGNETIC AND OPTICAL PROPERTIES

71.00 ELECTRON STATES

The effect of positron–phonon scattering on positron trapping at defects in metals: Solution for strong trapping *T McMullen* F87

A relativistic model pseudopential: Applied to Cs and Pb metals *C B So, B A Moore and S Wang* F785

71.10 General theories and computational techniques

On the charge-ordered solution of the degenerate Hubbard model *J Mizia* FL47

The energy and electron density of states of H in Pd, Rb and Ni *C A Sholl and P V Smith* F775

Electronic structure of ScRu, ScRh, ScPd and ScAg *J Kübler* F2301

A simple, useful analytical form of the static electron gas dielectric function *Roger Taylor* F1699

The atomic sphere approximation to the KKR-CPA: electronic structure of paramagnetic Cu_xNi_{1-x} alloys *W M Temmerman, B L Gyorffy and G M Stocks* F2461

An improved Fielek model for transition metals *B P Singh, L P Pathak and M P Hemkar* F2493

Theory of charge perturbation due to impurities in transition metals *S Prakash* F2497

71.20 Electronic density of states determinations

Spin–orbit projected d densities-of-states of Pd, Ag, Pt and Au *N E Christensen* FL51

Ground-state properties of f band metals: lanthanum, cerium and thorium *D Glötzel* FL163

Energy bands, densities of states and x ray spectra of Al with superposed self-consistent potentials *P Léonard* F467

Electronic density of states for Cu–Ni alloys by continued fraction method *G Cubiotti and B Ginatempo* F601

Ultraviolet photoemission from intermetallic compounds with CsCl structure: ScAg, ScPd, ScIr and ScRu *F L Battye, H Schulz, A Goldmann, S Hüfner, D Seipler and B Elschner* F709

The energy and electron density of states of H in Pd, Rh and Ni *C A Sholl and P V Smith* F775

The electronic structure of dilute transitional impurities in transition and noble metal hosts *P V Smith* F1405

Photoelectron spectroscopy studies and calculation of the energy bands of CsAu and RbAu *H Overhof, J Knecht, R Fischer and F Hensel* F1607

Linear-chain model to explain density of states and T_c changes with atomic ordering *A Junod* F1891

71.25 Nonlocalised single-particle electronic states

Energy bands, densities of states and x ray spectra of Al with superposed self-consistent potentials *P Léonard* F467

Lineshape studies of quantum oscillations in the ultrasonic absorption and dispersion in indium. The anomalous behaviour of the ultrasonic absorption *J de Wilde and D G de Groot* F1131

Determination of the infrared optical constants of highly reflecting materials by means of surface plasmon excitation—application to Pd *J Lafait, F Abelès, M L Theye and G Vuye* F1597

Study of the electron–phonon interaction in cadmium using high frequency Azbel'–Kaner cyclotron resonance *R Carin, P Goy and W M MacInnes* F2335

71.25C Techniques of bandstructure calculation (general theory, applications of group theory, analytic continuation, etc)

Self-consistent APW bandstructure of V_3Ga *B M Klein, L L Boyer and D A Papaconstantopoulos* FL617

Theory of energy bands and related properties of 4d transition metals: III. s and d contributions to the equation of state *D G Pettifor* F219

Electronic density of states for Cu–Ni alloys by continued fraction method *G Cubiotti and B Ginatempo* F601

The calculation of model potential parameters: an additional comment *P J Bunyan* F611

The effect of symmetry on electron momentum distributions in solids *R Harthoorn and P E Mijnarends* F1147

Orbital magnetic susceptibility of conduction electrons in a disordered system *Y Takahashi and M Shimizu* F1491

71.25H Measurement of Fermi surface parameters

de Haas–van Alphen effect in YAl_2 *E Seitz* FL189

Pressure dependence of the de Haas–van Alphen effect in potassium *Z Altounian, C Verge and W R Datars* F75

Ultrasonic quantum oscillations in white tin at 0·1 K *C M Boyne and L Mackinnon* F623

An investigation of the third-zone Fermi surface of aluminium using ultrasonic quantum oscillations *C M Boyne and L Mackinnon* F629

Changes in the Fermi surfaces of magnesium, zinc and cadmium under uniaxial compression *J Mayers and B R Watts* F799

The effect of symmetry on electron momentum distributions in solids *R Harthoorn and P E Mijnarends* F1147

Dislocation scattering and de Haas–van Alphen amplitudes *R A Brown* F1159

de Haas–van Alphen effect and Fermi surface of yttrium *P G Mattocks and R C Young* F1417

de Haas–van Alphen effect, LMTO bandstructure and Fermi surface of β'-AgMg *A E Dunsworth, J-P Jan and H L Skriver* F1427

Effect of hydrostatic pressure on electronic states in palladium *H Skriver, W Venema, E Walker and R Griessen* F2313

71.25J Effective mass and g factors

de Haas–van Alphen effect in YAl_2 *E Seitz* FL189

dHvA effect study of the effective cyclotron masses of the central and noncentral ζ orbits in lead *K Ogawa and H Aoki* F1169

The g tensor of d holes in palladium *T S Rahman, J C Parlebas and D L Mills* F2511

71.25L Electron energy states in liquid metals

Effective interatomic potentials from liquid metal structure data *M Hasegawa and W H Young* FL81

Generalised perturbation theory in disordered transition metal alloys: Application to the self-consistent calculation of ordering energies *G Treglia, F Ducastelle and F Gautier* F1437

71.25P Bandstructure of crystalline metals

The de Haas–van Alphen effect in praseodymium *S J C Irvine, R C Young, D Fort and D W Jones* FL269

The effect of symmetry on electron momentum distributions in solids *R Harthoorn and P E Mijnarends* F1147

de Haas–van Alphen effect, LMTO bandstructure and Fermi surface of β'-AgMg *A E Dunsworth, J-P Jan and H L Skriver* F1427

Electronic structure and ordering of sp defects in transition metals *C Demangeat, F Gautier and J C Parlebas* F1879

Electronic structure of ScRu, ScRh, ScPd and ScAg *J Kübler* F2301

Effect of hydrostatic pressure on electronic states in palladium *H Skriver, W Venema, E Walker and R Griessen* F2313

Bandstructure of Mg and the effect of correlation *R Asokamani, K Iyakutti, R S Rao and V Devanathan* F2323

Longitudinal conduction electron spin waves *A Jánossy and J Kollár* F2429

71.38 Polarons and electron–phonon interactions
The effect of positron–phonon scattering on positron trapping at defects in metals: Solution for strong trapping *T McMullen* F87
A relativistic model pseudopotential: applied to Cs and Pb metals *C B So, R A Moore and S Wang* F785
Study of the electron–phonon interaction in cadmium using high frequency Azbel'–Kaner cyclotron resonance *R Carin, P Goy and W M MacInnes* F2335
71.45 Collective effects
71.45G Exchange correlation, dielectric and magnetic functions, plasmons
A plasmon gain satellite in the KLL Auger spectrum of Mg and Al metal *P M Th M van Attekum and J M Trooster* FL169
Dispersion and damping of volume plasmons in polycrystalline aluminium and indium *K J Krane* F2133
71.50 Localised single-particle electronic states
Some calculated contributions to the electric field gradient in nontransition metals *K W Lodge* F447
Bound-state-induced scattering resonances at dislocations *R A Brown* F1467
71.55 Impurity and defect levels
Substitutional disorder described within the supercell model *N Mårtensson* F27
Pseudopotential calculation of the screening of a helium atom in aluminium *R Benedek* F807
Scattering phaseshifts and resonances for line defects *R A Brown* F825
Bound-state-induced scattering resonances at dislocations *R A Brown* F1467
Theory of charge perturbation due to impurities in transition metals *S Prakash* F2497
71.65 Positron states
Comparison of positron annihilation behaviour with lattice expansion in Ni, Fe and V at low temperatures *J A Jackman, C W Schulte and J L Campbell* FL13
Positron annihilation and charge transfer in simple alloys *Y Tsuchiya and S Tamaki* FL29
The low-temperature dependence of positron annihilation momentum spectra in Al *J E Dickman and K G Lynn* FL295
The effect of positron–phonon scattering on positron trapping at defects in metals: Solution for strong trapping *T McMullen* F87
The positron density distribution in metals: Temperature effects *M J Stott and R N West* F635
Some effects of temperature on positron annihilation characteristics in metals *B T A McKee and T McMullen* F1175
Interaction of hydrogen and vacancies in copper investigated by positron annihilation *B Lengeler, S Mantl and W Triftshäuser* F1691
71.70 Level splitting and interactions
71.70G Exchange interactions
Magnetoelastic and quadrupolar couplings in ErZn and HoZn *P Morin and D Schmitt* F951
Magnetism in Hume-Rothery alloys *J Smit* F2139
71.90 Other topics in electron states
Temperature dependence of the electrical resistivity of FCC iron alloys *W Bendick and W Pepperhoff* F2535

72.00 ELECTRONIC TRANSPORT IN CONDENSED MATTER
72.10 Theory of electronic transport: scattering mechanisms
High-field magnetoresistance of point defects *R Landauer* FL245
The solution of the Boltzmann transport equation: The electrical resistivity of lithium *F W Kus and E Zaremba* F479
Temperature dependence of the Hall effect in potassium *M Hurd and S P McAlister* F1201
Bound-state-induced scattering resonances at dislocations *R A Brown* F1467
Multiple scattering calculations of the resistivity of liquid transition metals *H N Dunleavy and W Jones* F1477
Some resonance model calculations of electrical resistivity in molten titanium *J S Brown, A H M Lopez-Escobar and J R Todd* F1703
Dynamical properties of quasiparticle excitations in potassium and rubidium *D M^c K Paul and M Springford* F1713
Quantum kinetic equation for electrons in metals *V N Fleurov and A N Kozlov* F1899
72.15 Electronic conduction in metals and alloys
Effect of modulation on the radiofrequency size effect *R Tkach, M D Rosenthal and D K Wagner* FL193
Thermopower and critical concentration in PdNi *C L Foiles* F213
A calculation of the pressure dependence of the low-temperature transport properties of dilute KRb alloys *M J W Povey* F231
Low-temperature magnetoresistance of nearly magnetic transition metal-based alloys and actinides *V Zlatić* F489
Quantum kinetic equation for electrons in metals *V N Fleurov and A N Kozlov* F1899
Cyclotron resonance lineshape and cyclotron waves for a spherical Fermi surface *K Saermark, J Lebech and H Johansen* F2145

Study of the electron–phonon interaction in cadmium using high frequency Azbel'–Kaner cyclotron resonance *R Carin, P Goy and W M MacInnes* F2335

Resistivity and magnetoresistance anisotropy associated with s, p impurities in ferromagnetic Ni and Co *R N Ross, D C Price and Gwyn Williams* F2367

72.15C Electrical and thermal conduction in amorphous and liquid metals and alloys

Corrections to electrical resistivities from the non-Hermiticity of the pseudopotential *C B So and S Wang* FL251

Resistivity, its temperature coefficient and thermoelectric power of liquid rare earths (La, Ce, Eu, Gd, Yb) using *t* matrix *Y Waseda, Ashok Jain and S Tamaki* F125

The low-temperature, high-field Nernst–Ettingshausen coefficient of Al *B J Thaler, R Fletcher and J Bass* F131

A relativistic model pseudopotential: applied to Cs and Pb metals *C B So, R A Moore and S Wang* F785

A study of the magnetic and transport properties of amorphous electrodeposited nickel–phosphorus alloys *A Berrada, M F Lapierre, B Loegel, P Panissod and C Robert* F845

On the resistivity of amorphous ferromagnets *M A Continentino and N Rivier* F1187

Multiple scattering calculations of the resistivity of liquid transition metals *H N Dunleavy and W Jones* F1477

Some resonance model calculations of electrical resistivity in molten titanium *J S Brown, A H M Lopez-Escobar and J R Todd* F1703

A tight binding theory of transport properties of liquid metals: Ishida–Yonezawa approximation for a single-band model *Masaki Itoh and Mitsuo Watabe* F1725

The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films *S J Raeburn and R V Aldridge* F1917

72.15E Electrical and thermal conduction in crystalline metals and alloys

The lattice thermal conductivity of very pure aluminium *H N De Lang, H van Kempen and P Wyder* FL39

Low-temperature resistivity of dilute PtMn alloys *J Kästner, E F Wassermann, K Matho and J L Tholence* F103

Deviations from Matthiessen's rule in nitrogen doped niobium *J Fuss, K Schulze and H Schultz* F497

The electronic thermal conductivity of simple metals and alloys: Lithium and aluminium *F W Kus* F651

Temperature-dependent anisotropy of resistivity of normal hexagonal metals *W C Chan* F859

Transport properties of palladium from 40 mK to 6 K *C Uher and P A Schroeder* F865

Deviation from Matthiessen's rule at high temperatures: Cu, Ag and Ge in Al *Y Fujita and Y Fukai* F1209

Some transport properties of dilute copper and silver alloys *Fred W Kus* F1483

Magnetic properties, electrical resistivity and thermal expansion of $(Ho, Y)Co_2$ *W Steiner, E Gratz, H Ortbauer and H W Camen* F1525

On the pressure variation of resistivity of solid Cu, Ag and Au *S N Khanna* F1751

Anisotropic electron scattering in the resistivity of strained aluminium, palladium and silver *J A Rowlands and S B Woods* F1929

Temperature dependence of the electrical resistivity of FCC iron alloys *W Bendick and W Pepperhoff* F2535

The electrical resistivity and deviations from Matthiessen's rule of single-crystal pure Cd and dilute Cd–Mg alloys *J A Rowlands, B J Stackhouse and S B Woods* F2545

Thermopower and thermal conductivity of arsenic from 8 K down to 0·3 K *C Uher* F2559

Low-temperature electrical and thermal transport properties of pure aluminium *J C Garland and D J Van Harlingen* F117

72.15G Galvanomagnetic and other magnetotransport effects

Magnetoresistivity of amorphous rare earth alloys *A K Bhattacharjee and B Coqblin* FL221

High-field magnetoresistance of point defects *R Landauer* FL245

Anomalous Hall effect in some typical spin glass alloys *S P McAlister and C M Hurd* F239

Longitudinal magnetoresistance size effect of aluminium single crystals: Effect of the cyclotron orbit nature *H Sato and K Yonemitsu* F659

Temperature dependence of the Hall effect in potassium *C M Hurd and S P McAlister* F1201

Internal oxidation of impurities in gold *P Svoboda* F1757

The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films *S J Raeburn and R V Aldridge* F1917

Pulsed Ettingshausen cooling in bismuth *K Woodbridge and M E Ertl* F1941

The magnetoresistance of Pd-based dilute ferromagnetic alloys *A Hamzić, S Senoussi, I A Campbell and A Fert* F1947

Cyclotron resonance line shape and cyclotron waves for a spherical Fermi surface *K Saermark, J Lebech and H Johansen* F2145

Hall coefficient of $TaS_{2-x}Se_x$ layer compounds *G K Bristow, C A Cornelius, T F Smith and T R Finlayson* F2165
Hall coefficient of thin films in a mean free path model *C R Tellier, M Rabel and A J Tosser* F2357

72.15J Thermoelectric effects
Transport properties of palladium from 40 mK to 6 K *C Uher and P A Schroeder* F865
Thermopower in α phase alloys of Cu, Zn, Ga, Ge and As in Ag at low temperatures *R S Crisp and W G Henry* F1767
The thermopowers and resistivities of copper alloyed with homovalent and polyvalent impurities and the validity of the Nordheim–Gorter relation *C A Rahim and R D Barnard* F1957
First-principles calculation of the high-temperature thermoelectric power of potassium *C R Leavens and Roger Taylor* F1969
Thermopower measurements on bismuth from 9 K down to 40 mK *C Uher and W P Pratt Jr* F1979
Thermopower and thermal conductivity of arsenic from 8 K down to 0·3 K *C Uher* F2559

72.15L Relaxation times and mean free paths
Dislocation scattering and de Haas–van Alphen amplitudes *R A Brown* F1159
Temperature dependence of the Hall effect in potassium *C M Hurd and S P McAlister* F1201
Internal oxidation of impurities in gold *P Svoboda* F1757

72.15Q Scattering mechanisms and Kondo effect
Internal oxidation of impurities in gold *P Svoboda* F1757

72.20 Conductivity phenomena in semiconductors and insulators

72.20D General theory, scattering mechanisms
McMillan–Hopfield factor and ideal resistivity of transition metals *N I Kulikov* FL137
The intervalley scattering in Bi and its influence on the transport properties at intermediate temperatures *H Nielsen* F141

72.20P Thermoelectric effects
Thermopower measurements on bismuth from 9 K down to 40 mK *C Uher and W P Pratt Jr* F1979

72.30 High-frequency effects: plasma effects
Cyclotron resonance line shape and cyclotron waves for a spherical Fermi surface *K Saermark, J Lebech and H Johansen* F2145

72.50 Acoustoelectric effects
Spin glass freezing above the ferromagnetic percolation limit in AuFe alloys *B H Verbeek and J A Mydosh* FL109

73.00 ELECTRONIC STRUCTURE AND ELECTRICAL PROPERTIES OF SURFACES, INTERFACES AND THIN FILMS

73.20 Electronic surface states
Electron states at steps in transition metal surfaces: a cluster–Bethe lattice approximation *J A Vergés and Félix Yndurain* F873

73.40 Interfaces
Dielectric matrix and related properties in random binary alloys *F Sacchetti* F743

74.00 SUPERCONDUCTIVITY
Flux pinning in Pb–Na: a peak-effect superconductor *P R Bissell and D J Sandiford* F2173

74.10 Occurrence, critical temperature
Structural instabilities and superconductivity in the alkali tungsten bronzes *K L Ngai and T L Reinecke* F151
Compressibilities and volume dependence of T_c for eleven Chevrel phase superconductors *A W Webb and R N Shelton* F261
Linear-chain model to explain density of states and T_c changes with atomic ordering *A Junod* F1891

74.20 Theory
Structural instabilities and superconductivity in the alkali tungsten bronzes *K L Ngai and T L Reinecke* F151

74.30 General properties

74.30C Magnetisation curves, Meissner effect, penetration depth
Magnetic properties of superconducting $Dy_xCe_{1-x}Ru_2$ *Yuji Asada* F2381

74.30G Response to electromagnetic fields, nuclear magnetic resonance, ultrasonic attenuation
Anisotropic impurity scattering and the electromagnetic surface resistance of aluminium *G Rickayzen* F271

74.60 Type II superconductivity
Ultrasonic attenuation in niobium II: measurements near B_{c2} *E M Forgan and C E Gough* F1073
Flux pinning in Pb–Na: a peak-effect superconductor *P R Bissell and D J Sandiford* F2173

74.60G Flux pinning; fluxon–defect interactions
Fluxon pinning in superconductors with regularly spaced defects *J Lowell* F501

74.70 Superconducting materials

74.70D Material effects on T_c, K, critical currents
Superconductivity in amorphous $La_{78}Au_{22}$ under high pressure *G Fasol, J S Schilling, C C Tsuei and F Zimmer* FL257
Elastic properties of (Hf, Zr)V_2 superconducting compounds *T R Finlayson, E J Lanston, M A Simpson, E E Gibbs and T F Smith* F2269

75.00 MAGNETIC PROPERTIES AND MATERIALS

^{57}Fe Mössbauer measurements in ZnFe alloys and the Zn-rich intermetallic compound $Zn_{13}Fe$ *J B Dunlop, J M Williams and G Longworth* F2115

75.10 General theory and models of magnetic ordering

Mictomagnet AuFe: frequency dependence of the susceptibility maximum *G Zibold* FL229

Metastable states in the random anisotropy model for amorphous ferromagnets *R Harris and S H Sung* FL299

Relaxation in spin glasses *I Reiss, M Fibich and A Ron* F161

Electronic structure of metals: VI. Magnetic susceptibilities of simple metals *S K Lai, S Wang and C B So* F883

Indirect magnetic coupling between local moments in metals *D C Price* F933

Orbital magnetic susceptibility of conduction electrons in a disordered system *Y Takahashi and M Shimizu* F1491

The transverse dynamical susceptibility of ferromagnets and antiferromagnets within the local exchange approximation *D M Edwards and M A Rahman* F1501

Relaxation of remanent magnetisation in a model spin glass *M Fibich* F1991

75.10D Crystal-field theory and spin Hamiltonians

Nonaxial electric field gradients in amorphous rare earth alloys *A Fert and I A Campbell* FL57

Relaxation in spin glasses *I Riess, M Fibich and A Ron* F161

An effective ion Hamiltonian for a magnetic 3d impurity in a metal *J M Dixon* F1243

Magnetic excitations in HoZn near the spin rotation temperature *B Hennion and J Pierre* F2617

75.10H Ising and other classical spin models

Thermodynamic properties of a classical RKKY model of CuMn *W Y Ching and D L Huber* FL63

A contribution to the theory of spin waves in a metallic spin glass *H Takayama* F2417

75.10J Heisenberg and other quantised localised spin models

Anomalous low-temperature properties of amorphous magnets with random anisotropy axes (C2111) *I Ya Korenblit and E F Shender* FL197

75.10L Band and itinerant models

Fermi liquid description for high-field magnetisation of YCo_2 and $LuCo_2$ *S Misawa* FL263

The de Haas–van Alphen effect in praseodymium *S J C Irvine, R C Young, D Fort and D W Jones* FL269

Hubbard model with nearest- and next-nearest-neighbour hopping in the Hartree–Fock approximation *D Grensing* F901

Simple itinerant model of spin glass behaviour *J Mathon* F1783

Magnetism in Hume-Rothery alloys *J Smit* F2139

Spin waves in disordered itinerant-electron ferromagnets *D M Edwards and W-Y P Fung* F2153

Dynamic longitudinal spin susceptibility of Bloch electrons *J Callaway and A K Chatterjee* F2569

The spin wave stiffness constant in ferromagnetic partially ordered alloys *I Takahashi and D M Edwards* F2579

75.20 Diamagnetism and paramagnetism

Anomalies in specific heat and thermal expansion of FCC iron alloys *W Bendick, H H Ettwig and W Pepperhoff* F2525

75.20E Metals and alloys

Anomalous high-field magnetisation of YCo_2 and $LuCo_2$ *C J Schinkel* FL87

Stiffness constant of weak ferromagnetic Ni-based alloys. Low-temperature measurements in Ni:V, Ni:Mo, Ni:Ru, Ni:Cr: Interpretation within RPA–CPA theories *M Hennion and B Hennion* F287

Magnetic properties and molecular field coefficients of $Er_6(Fe_{1-x}Mn_x)_{23}$ *G Hilscher and H Rais* F511

Ultraviolet photoemission from intermetallic compounds with CsCl structure: ScAg, ScPd, ScIr and ScRu *F L Battye, H Schulz, A Goldmann, S Hüfner, D Seipler and B Elschner* F709

A study of the magnetic and transport properties of amorphous electrodeposited nickel–phosphorus alloys *A Berrada, M F Lapierre, B Loegel, P Panissod and C Robert* F845

Nuclear spin relaxation and the Knight shift of ^{61}Ni metal in the paramagnetic solid and liquid phases *P J Ségransan, Y Chabre and W G Clark* F1513

High-field and high-pressure magnetic behaviour of $Fe_xCo_{1-x}Ti$ alloys *J Beille and F Towfiq* F1999

Spin waves in disordered itinerant-electron ferromagnets *D M Edwards and W-Y P Fung* F2183

The spin waves stiffness constant in ferromagnetic partially ordered alloys *I Takahashi and D M Edwards* F2579

Neutron scattering from MnCu alloys near the critical composition; effects of stress and aging *S J Campbell and P Wells* F2593

75.20H Local moments in dilute alloys: Kondo effect
Low-temperature magnetic properties of the metallic FCC phase of ytterbium *M Ribault, A Benoit, J Flouquet and G Chouteau* FL145
Fluctuation conductivity of a single-impurity Kondo system *M Ahmed* FL175
The hyperfine field of Mn in hexagonal Co *I A Campbell, A L Allsop and N J Stone* FL235
Anomalous Hall effect in some typical spin glass alloys *S P McAlister and C M Hurd* F239
Studies of hyperfine fields of some 4d and 5d impurities in ferromagnets *K Johansson, E Karlsson and L-O Norlin* F337
Magnetic susceptibility and single-impurity effects in dilute AgMn alloys *M Hanson* F1225
Local environment and magnetic properties in transitional alloys: IV *J van der Rest* F1263
^{57}Fe Mössbauer measurements in ZnFe alloys and the Zn-rich intermetallic compound $Zn_{13}Fe$ *J B Dunlop, J M Williams and G Longworth* F2115

75.25 Spin arrangements in magnetically ordered materials (neutron studies, etc)
The ionic spin distribution and preasymptotic RKKY interactions in Heusler alloys *G Malmström and D J W Geldart* FL17
Diffuse neutron scattering from stressed MnCu alloys *S J Campbell and P Wells* FL91
Elastic neutron scattering cross section in random binary alloys *F Sacchetti* F2011
Magnetic properties of Fe_3Sn_2: II. Neutron diffraction study *B Malaman, D Fruchart and G Le Caër* F2389
Magnetic incoherent elastic scattering from an antiferromagnetic CrFe alloy *T M Holden and E Fawcett* F2609

75.30 Magnetically ordered materials, other intrinsic properties
Effect of local environment on formation of local moments in BCC Fe–V alloys: Mössbauer study *M Shiga and Y Nakamura* F177
Magnetic properties and molecular field coefficients of $Er_6(Fe_{1-x}Mn_x)_{23}$ *G Hilscher and H Rais* F511
Magnetic ordering in ternary rare earth iron aluminium compounds (RFe_4Al_8) *K H J Buschow and A M van der Kraan* F921
Strong ferromagnetism in Invar type Fe–Pt alloys *K Sumiyama, M Shiga, Y Kobayashi, K Nishi and Y Nakamura* F1281
The transverse dynamical susceptibility of ferromagnets and antiferromagnets within the local exchange approximation *D M Edwards and M A Rahman* F1501
The low-temperature magnetic structure of hexagonal FeGe *J B Forsyth, C Wilkinson and P Gardner* F2195
Resistivity and magnetoresistance anisotropy associated with s, p impurities in ferromagnetic Ni and Co *R N Ross, D C Price and Gwyn Williams* F2367
Hyperfine field distributions in amorphous $(Fe_xNi_{1-x})_{80}P_{14}B_6$ *C L Chien, D Musser, F E Luborsky and J L Walter* F2407

75.30C Saturation moments and magnetic susceptibility
Thermodynamic properties of a classical RKKY model of CuMn *W Y Ching and D L Huber* FL63
The Curie–Weiss susceptibility of localised moments *K A Chao, A M Oleś and J Spałek* FL183
The Curie–Weiss susceptibility of localised moments (corrigendum) *K A Chao, A M Oleś and J Spałek* FL281
On the low-field susceptibility and the helical–ferromagnetic field-induced phase transition in holmium *A del Moral* F671
Magnetic properties, electrical resistivity and thermal expansion of (Ho, Y)Co_2 *W Steiner, E Gratz, H Ortbauer and H W Camen* F1525

75.30D Spin waves
The temperature dependence of the hyperfine field of ^{27}Al in iron at constant volume *P C Riedi* FL95
Spin waves in the partly disordered B2 structure of Fe_3Al *E Frikkee* FL141
The distribution of hyperfine fields in two alloys of iron as a function of temperature and pressure *P C Riedi* FL201
Stiffness constant of weak ferromagnetic Ni-based alloys. Low-temperature measurements in Ni:V, Ni:Mo, Ni:Ru, Ni:Cr: Interpretation within RPA–CPA theories *M Hennion and B Hennion* F287
Strain and the spin-flip transition in chromium: Landau theory *W B Cowan* F423
Spin density functional theory for the spin wave stiffness coefficient in ferromagnets *K L Liu and S H Vosko* F1539
RKKY interaction and conduction electron polarisation *J Geldenhuys and D H Wiid* F2021
Spin waves in disordered itinerant-electron ferromagnets *D M Edwards and W-Y P Fung* F2183
A contribution to the theory of spin waves in a metallic spin glass *H Takayama* F2417
The spin wave stiffness constant in ferromagnetic partially ordered alloys *I Takahashi and D M Edwards* F2579
Magnetic excitations in HoZn near the spin rotation temperature *B Hennion and J Pierre* F2617

75.30E Exchange and superexchange interactions
Indirect magnetic coupling between local moments in metals *D C Price* F933

RKKY interaction and conduction electron polarisation *J Geldenhuys and D H Wiid* F2021

Magnetism in Hume-Rothery alloys *J Smit* F2139

75.30G Anisotropy

More on the question of spin reorientation in $GdAl_2$ *O Eidelman, D Fekete and N Kaplan* FL67

Anisotropic effects in dilute Pt–Mn: A nuclear orientation study *J R Thompson, J O Thomson, P G Huray, S Nave and T L Nichols* F169

Magnetic anisotropy and the Mössbauer effect in ^{161}Dy *G J Bowden, R K Day and P Martinson* F2051

Basal plane magnetocrystalline anisotropy and ferromagnetic ordering in TbSc alloys *W D Corner and J Welford* F2203

75.30H Magnetic impurity interactions

Thermodynamic properties of a classical RKKY model of CuMn *W Y Ching and D L Huber* FL63

Studies of hyperfine fields of some 4d and 5d impurities in ferromagnets *K Johansson, E Karlsson and L-O Norlin* F337

Nuclear spin lattice relaxation of ^{165}Ho in magnetically ordered rare earth metals *K I Shaw, A Tari and I S Mackenzie* F679

A study of the Fe site hyperfine field and magnetic moment in the Heusler alloy $Ni_2Mn_{0.9}Fe_{0.1}Sn$ *C C M Campbell and J A Cameron* F1591

75.40 Critical point effects, specific heats, short-range order

Thermodynamic properties of a classical RKKY model of CuMn *W Y Ching and D L Huber* FL63

More on the question of spin reorientation in $GdAl_2$ *O Eidelman, D Fekete and N Kaplan* FL67

An ultrasonic study of the magnetic phases of dysprosium *C Isci and S B Palmer* F247

75.50 Studies of specific magnetic materials

Magnetic and ^{57}Fe Mössbauer study of $Y(Fe_{1-x}Al_x)_2$ alloys: Local environment effects *M J Besnus, P Bauer and J M Génin* F191

The magnetoresistance of Pd-based dilute ferromagnetic alloys *A Hamzić, S Senoussi, I A Campbell and A Fert* F1947

About the magnetic behaviour of Fe_xMe_{1-x} (Me = Si, Ge, Sn) amorphous alloys *Ph Mangin, M Piecuch, G Marchal and Chr Janot* F2085

75.50B Ferromagnetism of Fe and its alloys

Spin waves in the partly disordered B2 structure of Fe_3Al *E Frikkee* FL141

The distribution of hyperfine fields in two alloys of iron as a function of temperature and pressure *P C Riedi* FL201

The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films *S J Raeburn and R V Aldridge* F1917

Magnetic properties of Fe_3Sn_2: II. Neutron diffraction study *B Malaman, D Fruchart and G Le Caër* F2389

75.50C Ferromagnetism of other metals

More on the question of spin reorientation in $GdAl_2$ *O Eidelman, D Fekete and N Kaplan* FL67

A reply to 'More on the question of spin reorientation in $GdAl_2$' *G J Bowden* FL73

Nuclear magnetic resonance of ^{139}La in ferromagnetic $Gd_{0.9}La_{0.1}Al_2$ *Y Berthier and R A B Devine* FL113

Hyperfine fields of Fe impurities in the Heusler alloys Co_2MnX (X = Ga, Ge, Si, Sn) *G R MacKay, C Blaauw, J Judah and W Leiper* F305

The magnetic properties of high-purity $ZrZn_2$ in pulsed fields of up to 17 T *P G Mattocks and D Melville* F1291

RKKY interaction and conduction electron polarisation *J Geldenhuys and D H Wiid* F2021

Magnetism in Hume-Rothery alloys *J Smit* F2139

Resistivity and magnetoresistance anisotropy associated with s, p impurities in ferromagnetic Ni and Co *R N Ross, D C Price and Gwyn Williams* F2367

75.50E Antiferomagnetics

Diffuse neutron scattering from stressed MnCu alloys *S J Campbell and P Wells* FL91

Determination of the antiferromagnetic phase boundary in Cr–Fe alloys *S K Burke and B D Rainford* FL239

On the low-field susceptibility and the helical–ferromagnetic field-induced phase transition in holmium *A del Moral* F671

The effect of platinum on the itinerant antiferromagnetism of chromium *J G Booth, K R A Ziebeck and R Chagnon* F1303

Neutron scattering from MnCu alloys near the critical composition: effects of stress and aging *S J Campbell and P Wells* F2593

75.50G Ferrimagnetics

Magnetic properties and molecular field coefficients of $Er_6(Fe_{1-x}Mn_x)_{23}$ *G Hilscher and H Rais* F511

75.50K Amorphous magnetic materials

Anomalous low-temperature properties of amorphous magnets with random anisotropy axes (C2111) *I Ya Korenblit and E F Shender* FL197

On the resistivity of amorphous ferromagnets *M A Continentino and N Rivier* F1187

Long-wavelength magnetic excitations in randomly anisotropic ferromagnets *A K Bhattacharjee, B Coqblin, R Jullien, M Plischke, D Zobin and M J Zuckermann* F1793

The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films *S J Raeburn and R V Aldridge* F1917

75.60 Domain effects, magnetisation curves and hysteresis

A study of the magnetic and transport properties of amorphous electrodeposited nickel–phosphorus alloys *A Berrada, M F Lapierre, B Loegel, P Panissod and C Robert* F845

Magnetoelastic and quadrupolar couplings in ErZn and HoZn *P Morin and D Schmitt* F951

Spin glasses in low DC fields: II. Magnetic viscosity *C N Guy* F1309

75.60C Domain walls and domain structure

Magnetic properties of superconducting $Dy_xCe_{1-x}Ru_2$ *Yuji Asada* F2381

75.70 Magnetic films and plates

Spin wave resonance in single-crystal nickel films *D P Mitra and J S S Whiting* F2401

75.80 Magnetomechanical and magnetoelectric effects, magnetostriction

The magnetoresistance of PdFe alloys *A Hamzić and I A Campbell* FL33

An ultrasonic study of the magnetic phases of dysprosium *C Isci and S B Palmer* F247

Magnetoelastic and quadrupolar couplings in ErZn and HoZn *P Morin and D Schmitt* F951

Polarisation domain effects on ultrasonic velocity in antiferromagnetic chromium *D A Pink, M O Steinitz, D J Stanley, E Fawcett and J Perz* F961

Spin glasses in low DC fields: II. Magnetic viscosity *C N Guy* F1309

76.00 MAGNETIC RESONANCES AND RELAXATION IN CONDENSED MATTER: MÖSSBAUER EFFECT

76.30 Electron spin resonance and relaxation

76.30D Ions and impurities: general

On the coupling between gadolinium 4f electrons and conduction electrons in monopnictides *P Urban, K Jansen, G Sperlich and D Davidov* F977

76.30K Rare-earth ions and impurities

Electron spin resonance of rare earth ions in metallic beryllides: crystalline field 'single-ion' effects *J M Bloch, D Davidov, H D Dokter, I Felner and D Shaltiel* F1805

76.30P Conduction electrons

Influence of the crystal field on the gadolinium electron spin resonance in polycrystalline cubic metals *D Seipler and T Plefka* F969

Longitudinal conduction electron spin waves *A Jánossy and J Kollár* F2429

76.40 Diamagnetic and cyclotron resonances

Longitudinal conduction electron spin waves *A Jánossy and J Kollár* F2429

76.50 Ferromagnetic, antiferromagnetic and ferrimagnetic resonances: spin wave resonance

Ferromagnetic resonance of nickel vanadium alloys *C J Gadsden and M Heath* F521

Dynamic magnetism of an itinerant-electron antiferromagnet as an internal Josephson effect *E W Fenton* F689

Spin wave resonance in single-crystal nickel films *D P Mitra and J S S Whiting* F2401

An investigation of binary system Fe–Se *B K Jain, Ajay K Singh and K Chandra* F2625

76.60 Nuclear magnetic resonance and relaxation

More on the question of spin reorientation in $GdAl_2$ *O Eidelman, D Fekete and N Kaplan* FL67

Nuclear magnetic resonance of ^{139}La in ferromagnetic $Gd_{0.9}La_{0.1}Al_2$ *Y Berthier and R A B Devine* FL113

The distribution of hyperfine fields in two alloys of iron as a function of temperature and pressure *P C Riedi* FL201

Nuclear spin relaxation in liquid mercury and the quadrupolar relaxation mechanism *J Marsden, R L Havill and J M Titman* F1321

The study of ferromagnetic gold-based Heusler alloys *A K Grover, Le Dang Khoi and P Veillet* F1557

Hyperfine fields at sp elements on Mn sites in Heusler alloys *Le Dang Khoi, P Veillet and I A Campbell* F1811

76.60C Chemical and Knight shifts

Knight shift and electrical resistivity of liquid Li–In alloys *C van der Marel, E P Brandenburg and W van der Lugt* FL273

Nuclear spin relaxation and the Knight shift of ^{61}Ni metal in the paramagnetic solid and liquid phases *P J Ségransan, Y Chabre and W G Clark* F1513

Nonlocal pseudopotential calculations of Knight shifts in liquid metals and alloys: I. Pure metals *G A Styles and G Tranfield* F2035

76.60E Relaxation effects

Nuclear spin lattice relaxation of ^{165}Ho in magnetically ordered rare earth metals *K I Shaw, A Tari and I S Mackenzie* F679

76.60G Quadrupole resonance

Electric field gradient and lattice location of tin in tellurium *M Rots, F Namavar, G Langouche, R Coussement, M Van Rossum and P Boolchand* FL117

76.60L Spin echoes

Hyperfine field distribution in FeMo, FeRh and FeIr *R H Dean and G A Jakins* F1563

Hyperfine fields and magnetic interactions in Heusler alloys *Le Dang Khoi, P Veillet and I A Campbell* F1827

76.80 Mössbauer effect: other gamma ray spectroscopy

Electric field gradient and lattice location of tin in tellurium *M Rots, F Namavar, G Langouche, R Coussement, M Van Rossum and P Boolchand* FL117

The hyperfine field of Mn in hexagonal Co *I A Campbell, A L Allsop and N J Stone* FL235

Magnetic and ^{57}Fe Mössbauer study of $Y(Fe_{1-x}Al_x)_2$ alloys: Local environment effects *M J Besnus, P Bauer and J M Génin* F191

Hyperfine fields of Fe impurities in the Heusler alloys Co_2MnX (X = Ga, Ge, Si, Sn) *G R MacKay, C Blaauw, J Judah and W Leiper* F305

Mössbauer effect of Fe impurities in Cu alloys of Zn, Ga, Ge and As *W N Cathey* F315

Mössbauer effect study of Fe_3Sn_2 *G Le Caër, B Malaman and B Roques* F323

Studies of hyperfine fields of some 4d and 5d impurities in ferromagnets *K Johansson, E Karlsson and L-O Norlin* F337

Mössbauer effect study of iron-implanted copper alloys (I): as a function of dose *G Longworth and R Jain* F351

Mössbauer effect study of iron-implanted copper alloys (II): as a function of annealing temperature *R Jain and G Longworth* F363

Crystal field quenching of the Dy^{3+} 4f shell in the cubic Laves compounds $(Dy_{1-x}Ho_x)Ni_2$ and $(Dy_{1-x}Y_x)Al_2$ *G J Bowden and R K Day* F533

Mössbauer effect of ^{151}Eu in $EuNi_5$, $EuMg_2$ and their hydrides *F W Oliver, K W West, R L Cohen and K H J Buschow* F701

Mössbauer effect observation of an induced hyperfine field in $YbAl_3$ *J W Ross and E Tronc* F983

Mössbauer effect study of iron implanted silver alloys as a function of dose and annealing temperature *G Longworth and R Jain* F993

Strong ferromagnetism in Invar type Fe-Pt alloys *K Sumiyama, M Shiga, Y Kobayashi, K Nishi and Y Nakamura* F1281

Strength, symmetry and distribution of electric quadrupole interactions at ^{181}Ta impurities in hafnium-zirconium alloys *R L Rasera, T Butz, A Vasquez, H Ernst, G K Shenoy, B D Dunlap, R C Reno and G Schmidt* F1579

A study of the Fe site hyperfine field and magnetic moment in the Heusler alloy $Ni_2Mn_{0.9}Fe_{0.1}Sn$ *C C M Campbell and J A Cameron* F1591

Magnetic anisotropy and the Mössbauer effect in ^{161}Dy *G J Bowden, R K Day and P Martinson* F2051

Mössbauer effect in hydrogenated Fe–Ni alloys *T Sohmura and F E Fujita* F2061

Magnetic properties of Fe_3Sn_2: II. Neutron diffraction study *B Malaman, D Fruchart and G Le Caër* F2389

Hyperfine field distributions in amorphous $(Fe_xNi_{1-x})_{80}P_{14}B_6$ *C L Chien, D Musser, F E Luborsky and J L Walter* F2407

77.00 DIELECTRIC PROPERTIES AND MATERIALS

77.20 Permittivity

Pseudopotential theory of the dielectric function of Al—the volume plasmon dispersion *H Bross* F2631

78.00 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY AND OTHER INTERACTIONS OF MATTER WITH PARTICLES AND RADIATION

78.35 Brillouin and Rayleigh scattering

Acoustic phonons at the (111) surface of chromium *V Bortolani, F Nizzoli and G Santoro* FL215

78.65 Optical properties of thin films

Determination of the infrared optical constants of highly reflecting materials by means of surface plasmon excitation—application to Pd *J Lafait, F Abelès, M L Theye and G Vuye* F1597

78.70 Other interactions of matter with particles and radiation

The Ll and Lη x ray emission spectra of some first-row transition metals and compounds *P R Wood and D S Urch* F543

78.70D X ray absorption and absorption edges

K absorption edges of intercalation compounds K_xZrS_2 and Rb_xZrS_2 *R K Johri and B K Agarwal* F555

78.70E X ray emission threshold and fluorescence

Energy bands, densities of states and x ray spectra of Al with superposed self-consistent potentials *P Léonard* F467

79.00 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS: IMPACT PHENOMENA

79.20 Impact phenomena

79.20F Electron impact: Auger emission

The $L_{23}VV$ Auger spectrum of magnesium *A M Baró and J A Tagle* F563

79.60 Photoemission and photoelectron spectra

The symmetry properties of energy bands in solids determined by UV photoemission with unpolarised radiation *N V Richardson and J K Sass* FL99

A plasmon gain satellite in the KLL Auger spectrum of Mg and Al metal *P M Th M van Attekum and J M Trooster* FL169

Ultraviolet photoemission from intermetallic compounds with CsCl structure: ScAg, ScPd, ScIr and ScRu *F L Battye, H Schulz, A Goldmann, S Hüfner, D Seipler and B Elschner* F709

Photoemission from transition metal surfaces *J B Pendry and J F L Hopkinson* F1009

Photoelectron spectroscopy studies and calculation of the energy bands of CsAu and RbAu *H Overhof, J Knecht, R Fischer and F Hensel* F1607

Angular resolved photoelectron spectroscopy of copper *E Dietz and U Gerhardt* F2213

80.00 CROSS-DISCIPLINARY PHYSICS AND RELATED AREAS OF SCIENCE AND TECHNOLOGY

81.00 MATERIALS SCIENCE

81.30 Phase diagrams and microstructures developed by solidification and solid–solid phase transformations

81.30M Precipitation (any material)

Neutron scattering from MnCu alloys near the critical composition: effects of stress and aging *S J Campbell and P Wells* F2593

81.60 Corrosion, oxidation and surface treatments

The influence of ion implantation on the thermal oxidation of copper *J R Morris, R A Collins and G Dearnaley* F1333

Author index with titles

Abelès F: *see* Lafait J F1597

Adlhart W: *see* Stetter G F2075

Agarwal B K: *see* Johri R K F555

Agrawal Bal K: *see* Indu B D F755

Ahmed M: Fluctuation conductivity of a single-impurity Kondo system FL175

Aldridge R V: *see* Raeburn S J F1917

Alexopoulous K and Varotsos P: On the curvature of Arrhenius plots of diffusion and its disappearance under pressure with a single-vacancy model F2227

Allsop A L: *see* Campbell I A FL235

Alonso J A and Girifalco L A: Nonlocality and the energy of alloy formation F2455

Altounian Z, Verge and Datars W R: Pressure dependence of the de Haas–van Alphen effect in potassium F75

Andrews J W: *see* Coates P B F277

Aoki H: *see* Ogawa K F1169

Asada Y: Magnetic properties of superconducting $Dy_xSc_{1-x}Ru_2$ F2381

Asokamani R, Iyakutti K, Rao R S and Devanathan V: Bandstructure of Mg and the effect of correlation F2323

van Attekum P M Th M and Trooster J M: A plasmon gain satellite in the KLL Auger spectrum of Mg and Al metal FL169

Aubauer H P: Generalised coarsening theory in binary alloys F375

Baratoff A: *see* Werner K FL207

Barnard R D: *see* Rahim C A F1957

Baró A M and Tagle J A: The $L_{23}VV$ Auger spectrum of magnesium F563

Bass J: *see* Thaler B J F131

Battye F L, Schultze H, Goldmann A, Hüfner S, Seipler D and Elschner B: Ultraviolet photoemission from intermetallic compounds with CsCl structure: ScAg, ScPd, ScIr and ScRu F709

Bauer G S: *see* Werner K FL207

Bauer P: *see* Besnus M J F191

Beille J and Towfiq F: High-field and high-pressure magnetic behaviour of $Fe_xCo_{1-x}Ti$ alloys F1999

Bendick W, Ettwig H H and Pepperhoff W: Anomalies in specific heat and thermal expansion of FCC iron alloys F2525

Bendick W and Pepperhoff W: Temperature dependence of the electrical resistivity of FCC iron alloys F2535

Benedek R: Pseudopotential calculation of the screening of a helium atom in aluminium F807

Benedek R: Lattice statics calculation of the surface relaxation in metals F1119

Bennemann K H: *see* Ghatak S K F571

Benoit A: *see* Ribault M FL145

Beretz D and Halbwachs M: The rate of production of freely migrating defects in γ-irradiated Ag–24 at% Zn F2233

Berrada A, Lapierre M F, Loegel B, Panissod P and Robert C: A study of the magnetic and transport properties of amorphous electrodeposited nickel–phosphorous alloys F845

Berthier Y and Devine R A B: Nuclear magnetic resonance of ^{139}La in ferromagnetic $Gd_{0.9}La_{0.1}Al_2$ FL113

Besnus M J, Bauer P and Génin J M: Magnetic and ^{57}Fe Mössbauer study of $Y(Fe_{1-x}Al_x)_2$ alloys: Local environment effects F191

Bhattacharjee A K and Coqblin B: Magnetoresistivity of amorphous rare earth alloys FL221

Bhattacharjee A K, Coqblin B, Jullien R, Plischke M, Zobin D and Zuckermann M J: Long-wavelength magnetic excitations in randomly anisotropic ferromagnets F1793

Bissell P R and Sandiford D J: Flux pinning in Pb–Na: a peak-effect superconductor F2173

Blaauw C: *see* MacKay G R F305

Blaschko O, Klemencic R, Weinzierl P and Eder O J: Investigation of Bragg reflections in α NbD_x under hydrostatic pressure by γ ray diffraction FL149

Bloch J M, Davidov D, Dokter H D, Felner I and Shaltiel D: Electron spin resonance of rare earth ions in metallic beryllides: crystalline field 'single-ion' effects F1805

Boolchand P: *see* Rots M FL117

Booth J G, Ziebeck K R A and Chagnon R: The effect of platinum on the itinerant antiferromagnetism of chromium F1303

Bortolani V, Nizzoli F and Santoro G: Acoustic phonons at the (111) surface of chromium FL215

Bottani C E, Ossi P M and Rossitto F: Measurement of the low-frequency viscosity of some polycrystalline metals and alloys F1671

Bowden G J: A reply to 'More on the question of spin reorientation in $GdAl_2$' FL73

Bowden G J and Day R K: Crystal field quenching of the Dy^{3+}_{aq} 4f shell in the cubic Laves compounds $(Dy_{1-x}Ho_x)Ni_2$ and $(Dy_{1-x}Y_x)Al_2$ F533

Bowden G J, Day R K and Martinson P: Magnetic anisotropy and the Mössbauer effect in ^{161}Dy F2051
Boyer L L: *see* Klein B M F617
Boyne C M and Mackinnon L: An investigation of the third-zone Fermi surface of aluminium using ultrasonic quantum oscillations F623
Boyne C M and Mackinnon L: Ultrasonic quantum oscillations in white tin at 0·1 K F629
Brandenburg E P: *see* van der Marel C FL273
Bristow G K, Cornelius C A, Smith T F and Finlayson T R: Hall coefficient of $TaS_{2-x}Se_x$ layer compounds F2165
Bross H: Pseudopotential theory of the dielectric function of Al—the volume plasmon dispersion F2631
Brown J S, Lopez-Escobar A H M and Todd J R: Some resonance model calculations of electrical resistivity in molten titanium F1703
Brown R A: Scattering phaseshifts and resonances for line defects F825
Brown R A: Dislocation scattering and de Haas–van Alphen amplitudes F1159
Brown R A: Bound-state-induced scattering resonances at dislocations F1467
Bunyan P J: The calculation of model potential parameters; an additional comment F611
Burke S K and Rainford B D: Determination of the antiferromagnetic phase boundary in Cr–Fe alloys FL239
Buschow K H J: *see* Oliver F W F701
Buschow K H J and van der Kraan A M: Magnetic ordering in ternary rare earth iron aluminium compounds (RFe_4Al_8) F921
Butz T: *see* Rasera R L F1579
Buyers W J L: *see* Kim S M FL103

Callaway J and Chatterjee A K: Dynamic longitudinal spin susceptibility of Bloch electrons F2569
Camen H W: *see* Steiner W F1525
Cameron J A: *see* Campbell C C M F1591
Campbell C C M and Cameron J A: A study of the Fe site hyperfine field and magnetic moment in the Heusler alloy $Ni_2Mn_{0.9}Fe_{0.1}Sn$ F1591
Campbell I A: *see* Fert A FL57
Campbell I A: *see* Hamzić A FL33
Campbell I A: *see* Hamzić A F1947
Campbell I A: *see* Le Dang Khoi F1811
Campbell I A: *see* Le Dang Khoi F1827
Campbell I A, Allsop A L and Stone N J: The hyperfine field of Mn in hexagonal Co FL235
Campbell J L: *see* Jackman J A FL13
Campbell J L: *see* Jackman J A F1845
Campbell S J and Wells P: Diffuse neutron scattering from stressed MnCu alloys FL91
Campbell S J and Wells P: Neutron scattering from MnCu alloys near the critical composition: effects of stress and aging F2593
Caplin A D and Nicholson L K: The strange case of $Al_{10}V$: Well defined local modes in a metallic solid F51
Carin R, Goy P and MacInnes W M: Study of the electron–phonon interaction in cadmium using high frequency Azbel'–Kaner cyclotron resonance F2335
Cathey W N: Mössbauer effect of Fe impurities in Cu alloys of Zn, Ga, Ge and As F315
Chabre Y: *see* Ségransan P J F1513
Chagnon R: *see* Booth J G F1303
Chan W C: Temperature-dependent anisotropy of resistivity of normal hexagonal metals F859
Chandra K: *see* Jain B K F2625
Chao K A, Oleś A M and Spałek J: The Curie–Weiss susceptibility of localised moments FL183
Chao K A, Oleś A M and Spałek J: Corrigendum FL281
Chatterjee A K: *see* Callaway J F2569
Chien C L, Musser D, Luborsky F E and Walter J L: Hyperfine field distributions in amorphous $(Fe_xNi_{1-x})_{80}P_{14}B_6$ F2407
Ching W Y and Huber D L: Thermodynamic properties of a classical RKKY model of CuMn FL63
Chouteau G: *see* Ribault M FL145
Christensen N E: Spin–orbit projected densities-of-states of Pd, Ag, Pt and Au FL51
Clark W G: *see* Ségransan P J F1513
Coates P B and Andrews J W: A precise determination of the freezing point of copper F277
Cohen R L: see Oliver F W F701
Collins R A: *see* Morris J R F1333
Continentino M A and Rivier N: On the resistivity of amorphous ferromagnets F1187
Continentino M A and Rivier N: Corrigendum F2073
Coqblin B: *see* Bhattacharjee A K FL221
Coqblin B: *see* Bhattacharjee A K F1793
Corliss L M: *see* Thompson P FL75
Cornelius C A: *see* Bristow G K F2165
Corner W D and Welford J: Basal plane magnetocrystalline anisotropy and ferromagnetic ordering in TbSc alloys F2203
Cousins C S G and Martin J W: Extended Cauchy discrepancies: measures of non-central, non-isotropic interactions in crystals F2279
Coussement R: *see* Rots M FL117
Cowan W B: Strain and the spin-flip transition in chromium: Landau theory F423
Crisp R S and Henry W G: Thermopower in α phase alloys of Cu, Zn, Ga, Ge and As in Ag at low temperatures F1767
Cubiotti G and Ginatempo B: Electronic density of states for Cu–Ni alloys by continued fraction method F601
Curzon A E and Singh O: Thin film studies of yttrium, yttrium hydrides and yttrium oxide F1619

Dagens L: Phonon anomaly near a Fermi surface topological transition F2093
Dagens L: *see* Upadhyaya J C FL21
Datars W R: *see* Altounian Z F75
Davidov D: *see* Bloch J M F1805
Davidov D: *see* Urban P F977
Day R K: *see* Bowden G J F533
Day R K: *see* Bowden G J F2051
Dean R H and Jakins G A: Hyperfine field distribution in FeMo, FeRh and FeIr F1563
Dearnaley G: *see* Morris J R F1333
De Lang H N, van Kempen H and Wyder P: The lattice thermal conductivity of very pure aluminium FL39
Demangeat C: Comments on the effect of carbon on the structural stabilisation of iron FL277
Demangeat C, Gautier F and Parlebas J C: Electronic structure and ordering of sp defects in transition metals F1879
Devanathan V: *see* Asokamani R F2323
Devine R A B: *see* Berthier Y FL113
Dickman J E and Lynn K G: The low-temperature dependence of positron annihilation momentum spectra in Al FL295
Dietz E and Gerhardt U: Angular resolved photoelectron spectroscopy of copper F2213
Dimitrov C: *see* Dworschak F FL153
Dimitrov C, Dimitrov O and Dworschak F: The interaction of self interstitials with undersized solute atoms in electron-irradiated aluminium F1031
Dimitrov O: *see* Dimitrov C F1031
Dimitrov O: *see* Dworschak F FL153
Dixon J M: An effective ion Hamiltonian for a magnetic 3d impurity in a metal F1243
Dobson P J: *see* Spiller G D T FL135
Dokter H D: *see* Bloch J M F1805
Doyama M: *see* Fukushima H F205
Doyama M: *see* Yamamoto R FL179
Ducastelle F: *see* Treglia G F1437
Dunlap B D: *see* Rasera R L F1579
Dunleavy H N and Jones W: Multiple scattering calculations of the resistivity of liquid transition metals F1477
Dunlop J B, Williams J M and Longworth G: ^{57}Fe Mössbauer measurements in ZnFe alloys and the Zn-rich intermetallic compound $Zn_{13}Fe$ F2115
Dunsworth A E, Jan J-P and Skriver H L: de Haas–van Alphen effect LMTO bandstructure and Fermi surface of β'-AgMg F1427
Dworschak F: *see* Dimitrov C F1031
Dworschak F, Dimitrov C and Dimitrov O: A correlation between the size effect of impurity atoms and their trapping radii for migrating self-interstitials in copper and aluminium FL153

Eder O J: *see* Blaschko O FL149
Edwards D M: *see* Takahashi I F2579
Edwards D M and Fung W-Y P: Spin waves in disordered itinerant-electron ferromagnets F2183
Edwards D M and Rahman M A: The transverse dynamical suceptibility of ferromagnets and antiferromagnets within the local exchange approximation F1501
Eidelman O, Fekete D and Kaplan N: More on the question of spin reorientation in $GdAl_2$ FL67
Elschner B: *see* Battye F L F709
Emrick R M: Vacancy loss during quenching of low dislocation density crystals F1353
Ernst H: *see* Rasera R L F1579
Ertl M E: *see* Woodbridge K F1941
Ettwig H H: *see* Bendick W F2525

Fasol G, Schilling J S, Tsuei C C and Zimmer F: Superconductivity in amorphous $La_{78}Au_{22}$ under high pressure FL257
Fawcett E: *see* Holden T M F2609
Fawcett E: *see* Pink D A F961
Fekete D: *see* Eidelman O FL67
Felner I: *see* Bloch J M F1805
Fenton E W: Dynamic magnetism of an itinerant-electron antiferromagnet as an internal Josephson effect F689
Fenzl H J: *see* Werner K FL207
Fert A: *see* Hamzić A F1947
Fert A and Campbell I A: Nonaxial electric field gradients in amorphous rare earth alloys FL57
Fibich M: Relaxation of remanent magnetisation in a model spin glass F1991
Fibich M: *see* Riess J F161
Fielek B L: A reply to the comments of M M Skukla on 'The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' FL293
Fielek B L: The inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau F577
Finlayson T R: *see* Bristow G K F2165
Finlayson T R, Lanston E J, Simpson M A, Gibbs E E and Smith T F: Elastic properties of (Hf, Zr)V_2 superconducting compounds F2269
Fischer R: *see* Overhof H F1607
Fischer U: *see* Seydel U F1397
Fletcher R: *see* Thaler B J F131
Fleurov V N and Kozlov A N: Quantum kinetic equation for electrons in metals F1899
Flouquet J: *see* Ribault M FL145
Foiles C L: Thermopower and critical concentration in PdNi F213
Forgan E M and Gough C E: Ultrasonic attenuation in niobium II: measurements near B_{c2} F1073
Forsyth J B, Wilkinson C and Gardner P: The low-temperature magnetic structure of hexagonal FeGe F2195

Fort D: *see* Irvine S J C FL269
Frikkee E: Spin waves in the partly disordered B2 structure of Fe_3Al FL141
Fritsch G: *see* Stetter G F2075
Fruchart D: *see* Malaman B F2389
Fucke W: *see* Seydel U FL157
Fujita F E: *see* Sohmura T F2061
Fujita Y and Fukai Y: Deviation from Matthiessen's rule at high temperatures: Cu, Ag and Ge in Al F1209
Fukai Y: *see* Fujita Y F1209
Fukushima H and Doyama M: Positrons as the probe of phase transformations in Cu–Mn alloy F205
Fung W-Y P: *see* Edwards D M F2183
Fuss J, Schulze K and Schultz H: Deviations from Matthiessen's rule in nitrogen doped niobium F497

Gadsden C J and Heath M J: Ferromagnetic resonance of nickel–vanadium alloys F521
Gardner P: *see* Forsyth J B F2195
Garland J C and Van Harlingen D J: Low-temperature electrical and thermal transport properties of pure aluminium F117
Gauster W B: *see* Wampler W R FL1
Gautier F: *see* Demangeat C F1879
Gautier F: *see* Moraitis G F1653
Gautier F: *see* Treglia G F1437
Geldart D J W: *see* Malmström G FL17
Geldenhuys J and Wiid D H: RKKY interaction and conduction electron polarisation F2021
Génin J M: *see* Besnus M J F191
Gerhardt U: *see* Dietz E F2213
Ghatak S K and Bennemann K H: Effect of valence fluctuations on lattice vibrations F571
Gibbs E E: *see* Finlayson T R F2269
Ginatempo B: *see* Cubiotti G F601
Girifalco L A: *see* Alonso J A F2455
Glötzel D: Ground state properties of f band metals: lanthanum, cerium and thorium FL163
Glötzel D: Corrigendum FL205
Goda M and Osabe S: On the collective excitations and short-range order in liquid alkaline metals F1019
Goldmann A: *see* Battye F L F709
Gough C E: *see* Forgan E M F1073
Goy P: *see* Carin R F2335
Gratz E: *see* Steiner W F1525
Grensing D: Hubbard model with nearest- and next-nearest-neighbour hopping in the Hartree–Fock approximation F901
Griessen R: *see* Skriver H F2313
Griffiths D: *see* Khan J A F763
de Groot D G: *see* de Wilde J F1131
Grover A K, Le Dang Khoi and Veillet P: NMR study of ferromagnetic gold-based Heusler alloys F1557
Guy C N: Spin glasses in low DC fields: II. Magnetic viscosity F1309
Gyorffy B L: *see* Temmerman W M F2461

Haga K: *see* Yamamoto R FL179
Halbwachs M: Atomic mobility under irradiation: Experimental verification of the phenomenological model F1053
Halbwachs M: *see* Beretz D F2233
Hamzić A and Campbell I A: The magnetoresistance of PdFe alloys FL33
Hamzić A, Senoussi S, Campbell I A and Fert A: The magnetoresistance of Pd-based dilute ferromagnetic alloys F1947
Hanson M: Magnetic susceptibility and single-impurity effects in dilute AgMn alloys F1225
Harris R and Sung S H: Metastable states in the random anisotropy model for amorphous ferromagnets FL299
Harthoorn R and Mijnarends P E: The effect of symmetry on electron momentum distribution in solids F1147
Hasegawa M and Young W H: Effective interatomic potentials from liquid metal structure data FL81
Hasegawa M and Young W H: Entropy–volume correlation for some homovalent disordered solid alloys F1105
Hastings J M: *see* Thompson P FL75
Havill R L: *see* Marsden J F1321
Heath M J: *see* Gadsden C J F521
Hemkar M P: *see* Rai R C F45
Hemkar M P: *see* Singh B P F2493
Hennion B: *see* Hennion M F287
Hennion B and Pierre J: Magnetic excitations in HoZn near the spin rotation temperature F2617
Hennion M and Hennion B: Stiffness constant of weak ferromagnetic Ni-based alloys. Low-temperature measurements in Ni:V, Ni:Mo, Ni:Ru, Ni:Cr:Interpretation within RPA–CPA theories F287
Henry W G: *see* Crisp R S F1767
Hensel F: *see* Overhof H F1607
Hilscher G and Rais H: Magnetic properties and molecular field coefficients of $Er_6(Fe_{1-x}Mn_x)_{23}$ F511
Holden T M and Fawcett E: Magnetic incoherent elastic scattering from an antiferromagnetic CrFe alloy F2609
Hood G M: An atom size effect in tracer diffusion F1677
Hood G M and McKee B T A: Some systematics of positron–vacancy interactions in metals F1457
Hopkinson J F L: *see* Pendry J B F1009
Huber D L: *see* Ching W Y FL63
Hüfner S: *see* Battye F L F709

Huray P G: *see* Thompson J R F169
Hurd C M: *see* McAlister S P F239
Hurd C M and McAlister S P: Temperature dependence of the Hall effect in potassium F1201

Indu B D, Tiwari M D and Agrawal Bal K: Enhanced lattice specific heat due to gold impurities in Cu–Au alloys F755
Irvine S J C, Young R C, Fort D and Jones D W: The de Haas–van Alphen effect in praseodymium FL269
Isci C and Palmer S B: An ultrasonic study of the magnetic phases of dysprosium F247
Itoh M and Watabe M: A tight binding theory of transport properties of liquid metals: Ishida–Yonezawa approximation for a single-band model F1725
Iyakutti K: *see* Asokamani R F2323

Jackman J A, Schulte C W and Campbell J L: Comparison of positron annihilation behaviour with lattice expansion in Ni, Fe and V at low temperatures FL13
Jackman J A, Schulte C W and Campbell J L: Temperature-dependent positron trapping in nickel after 5 MeV electron irradiation F1845
Jacques H: *see* Rehn L E F1835
Jacucci G, McDonald I R and Taylor R: The static structure factors of a liquid sodium–potassium alloy FL121
Jain A: *see* Waseda Y F125
Jain B K, Singh A K and Chandra K: An investigation of binary system Fe–Se F2625
Jain R: *see* Longworth G F351
Jain R: *see* Longworth G F993
Jain R and Longworth G: Mössbauer effect study of iron-implanted copper alloys (II): as a function of annealing temperature F363
Jakins G A: *see* Dean R H F1563
Jan J-P: *see* Dunsworth A E F1427
Jánossy A and Kollár J: Longitudinal conduction electron spin waves (Larmor waves) in tungsten F2429
Janot Chr: *see* Mangin Ph F2085
Jansen K: *see* Urban P F977
Johansen H: *see* Saermark K F2145
Johansson K, Karlsson E and Norlin L-O: Studies of hyperfine fields of some 4d and 5d impurities in ferromagnets F337
Johri R K and Agarwal B K: K absorption edges of intercalation compounds K_xZrS_2 and Rb_xZrS_2 F555
Jones D W: *see* Irvine S J C FL269
Jones W: *see* Dunleavy H N F1477
Judah J: *see* MacKay G R F305
Jullien R: *see* Bhattacharjee A K F1793

Junod A: Linear-chain model to explain density of states and T_c changes with atomic ordering F1891
Just W: *see* de Novion C-H F1627

Kaplan N: *see* Eidelman O FL67
Karlsson E: *see* Johansson K F337
Kästner J, Wassermann E F, Matho K and Tholence J L: Low-temperature resistivity of dilute PtMn alloys F103
Kehr K W, Richter D and Swendsen R H: The influence of impurities on interstitial diffusion F433
van Kempen H: *see* De Lang H N FL39
Khan J A and Griffiths D: Anomalous thermal expansion of dilute CuMn and AgMn alloys below 50 K F763
Khanna S N: On the pressure variation of resistivity of solid Cu, Ag and Au F1751
Kim S M and Buyers W J L: Vacancy formation energy in iron by positron annihilation FL103
King H W and Manchester F D: A low-temperature x ray diffraction study of Pd and some Pd–H alloys F15
Kirchner H O K: *see* Schoeck G FL43
Klein B M, Boyer L L and Papaconstantopoulos D A: Self-consistent APW bandstructure of V_3Ga F617
Klemencic R: *see* Blaschko O FL149
Knecht J: *see* Overhof H F1607
Kobayashi Y: *see* Sumiyama K F1281
Kollár J: *see* Jánossy A F2429
Korenblit I Ya and Shender E F: Anomalous low-temperature properties of amorphous magnets with random anisotropy axes (C2111) FL197
Kozlov A N: *see* Fleurov V N F1899
van der Kraan A M: *see* Buschow K H J F921
Krane K J: Dispersion and damping of volume plasmons in polycrystalline aluminium and indium F2133
Kravchuk S P: *see* Vaks V G F725
Kröner E: Self-consistent scheme and graded disorder in polycrystal elasticity F2261
Kübler J: Electronic structure of ScRu, ScRh, ScPd, and ScAg F2301
Kulikov N I: McMillan–Hopfield factor and ideal resistivity of transition metals FL137
Kumar Sunil: *see* Singh R K F1863
Kus F W: The electronic thermal conductivity of simple metals and alloys: Lithium and aluminium F651
Kus F W: Some transport properties of dilute copper and silver alloys F1483
Kus F W and Zaremba E: The solution of the Boltzmann transport equation: the electrical resistivity of lithium F479

Lafait J, Abelès F, Theye M L and Vuye G: Determination of the infrared optical constants of highly reflecting materials by means of surface plasmon excitation—application to Pd F1597
Lähteenkorva E E: *see* Lenkkeri J T F1643
Lai S K, Wang S and So C B: Electronic structure of metals: VI. Magnetic suceptibilities of simple metals F883
Laine E S U: A high-speed determination of the volume fraction of ferrite in austenitic stainless steel by EDXRD F1343
Lanchester P C: *see* Legg G J F2125
Landauer R: High-field magnetoresistance of point defects FL245
Langouche G: *see* Rots M FL117
Lanston E J: *see* Finlayson T R F2269
Lapierre M F: *see* Berrada A F845
Leavens C R and Taylor R: First-principles calculation of the high-temperature thermoelectric power of potassium F1969
Lebech J: *see* Saermark K F2145
Lebsanft E: *see* Töpler J FL25
Le Caër G: *see* Malaman B F2389
Le Caër G, Malaman B and Roques B: Mössbauer effect study of Fe_3Sn_2 F323
Le Dang Khoi: *see* Grover A K F1557
Le Dang Khoi, Veillet P and Campbell I A: Hyperfine fields and magnetic interactions in Heusler alloys F1811
Le Dang Khoi, Veillet P and Campbell I A: Hyperfine fields at sp elements on Mn sites in Heusler alloys F1827
Legg G J and Lanchester P C: The low temperature thermal expansion of $Al_{10}V$ F2125
Leiper W: *see* MacKay G R F305
Lengeler B, Mantl S and Triftshäuser W: Interaction of hydrogen and vacancies in copper investigated by positron annihilation F1691
Lenkkeri J T: *see* Palmer S B F1359
Lenkkeri J T and Lähteenkorva E E: An investigation of elastic moduli of vanadium–chromium alloys F1643
Léonard P: Energy bands, densities of states and x ray spectra of Al with superposed self-consistent potentials F467
Leung C H and Stott M J: Temperature dependence of monovacancy formation parameters for simple metals: II. Extension of the Kanzaki lattice statics method to finite temperatures F1379
Levy M B: *see* Taylor W A F2293
Liu K L and Vosko S H: Spin density functional theory for the spin wave stiffness coefficient in ferromagnets F1539
Liu T L: Nearest-neighbour distance and atomic properties in CsCl-type intermetallic compounds F717
Lodge K W: Some calculated contributions to the electric field gradient in nontransition metals F447
Loegel B: *see* Berrada A F845
Longworth G: *see* Dunlop J B F2115
Longworth G: *see* Jain R F363
Longworth G and Jain R: Mössbauer effect study of iron-implanted copper alloys (I): as a function of dose F351
Longworth G and Jain R: Mössbauer effect study of iron-implanted silver alloys as a function of dose and annealing temperature F993
Lopez-Escobar A H M: *see* Brown J S F1703
Lowell J: Fluxon pinning in superconductors with regularly spaced defects F501
Luborsky F E: *see* Chien C L F2407
van der Lugt W: *see* van der Marel C FL273
Lüscher E: *see* Stetter G F2075
Lynn K G: *see* Dickman J E FL295

McAlister S P: *see* Hurd C M F1201
McAlister S P and Hurd C M: Anomalous Hall effect in some typical spin glass alloys F239
McDonald I R: *see* Jacucci G FL121
MacInnes W M: *see* Carin R F2335
MacKay G R, Blaauw C, Judah J and Leiper W: Hyperfine fields of Fe impurities in the Heusler alloys Co_2MnX(X = Ga, Ge, Si, Sn) F305
McKee B T A: *see* Hood G M F1457
McKee B T A and McMullen T: Some effects of temperature on positron annihilation characteristics in metals F1175
Mackenzie I S: *see* Shaw K I F679
Mackinnon L: *see* Boyne C M F623
Mackinnon L: *see* Boyne C M F629
McMullen T: The effect of positron–phonon scattering on positron trapping at defects in metals: Solution for strong trapping F87
McMullen T: *see* McKee B T A F1175
Maeda K and Takeuchi S: A simple computer modelling of metallic amorphous structure FL283
Malaman B: *see* Le Caër G F323
Malaman B, Fruchart D and Le Caër G: Magnetic properties of Fe_3Sn_2: II. Neutron diffraction study F2389
Malmström G and Geldart D J W: The ionic spin distribution and preasymptotic RKKY interactions in Heusler alloys FL17
Manchester F D: *see* King H W F15
Mangin Ph, Piecuch M, Marchal G and Janot Chr: About the magnetic behaviour of Fe_xMe_{1-x} (Me = Si, Ge, Sn) amorphous alloys F2085
Manninen M and Nieminen R M: Electronic structure of vacancies and vacancy clusters in simple metals F2243
Mantl S: *see* Lengeler B F1691
Marchal G: *see* Mangin Ph F2085
van der Marel C, Brandenburg E P and van der Lugt W: Knight shift and electrical resistivity of liquid Li–In alloys FL273
Marsden J, Havill R L and Titman J M: Nuclear spin relaxation in liquid mercury and the quadrupolar relaxation mechanism F1321

Mårtensson N: Substitutional disorder described within the supercell model F27
Martin J W: *see* Cousins C S G F2279
Martinson P: *see* Bowden G J F2051
Marwick A D: Segregation in irradiated alloys: The inverse Kirkendall effect and the effect of constitution on void swelling F1849
Matho K: *see* Kästner J F103
Mathon J: Simple itinerant model of spin glass behaviour F1783
Mattocks P G and Melville D: The magnetic properties of high-purity ZrZn in pulsed fields of up to 17 T F1291
Mattocks P G and Young R C: de Haas–van Alphen effect and Fermi surface of yttrium F1417
Mayers J and Watts B R: Changes in the Fermi surfaces of magnesium, zinc and cadmium under uniaxial compression F799
Melville D: *see* Mattocks P G F1291
Metzger H and Peisl H: Huang diffuse x ray scattering from lattice strains in high-concentration Ta–H alloys F391
Mijnarends P E: *see* Harthoorn R F1147
Mills D L: *see* Rahman T S F2511
Misawa S: Fermi liquid description for high-field magnetisation of YCo_2 and $LuCo_2$ FL263
Mitra D P and Whiting J S S: Spin wave resonance in single-crystal nickel films F2401
Mizia J: On the charge-ordered solution of the degenerate Hubbard model FL47
Moore R A: *see* So C B F785
Moraitis G and Gautier F: Einstein's temperature and vibrational entropy in relation to the electronic structure: II. Dilute alloys of transition and noble metals F1653
del Moral A: On the low-field susceptibility and the helical–ferromagnetic field-induced phase transition in holmium F671
Mori G: *see* Yoshioki S FL125
Morin P and Schmitt D: Magnetoelastic and quadrupolar couplings in ErZn and HoZn F951
Morris J R, Collins R A and Dearnaley G: The influence of ion implantation on the thermal oxidation of copper F1333
Mountain R D: Monte Carlo study of the structure of expanded fluid rubidium F1637
Musser D: *see* Chien C L F2407
Mydosh J A: *see* Verbeek B H FL109

Nakamura Y: *see* Shiga M F177
Nakamura Y: *see* Sumiyama K F1281
Namavar F: *see* Rots M FL117
Nave S: *see* Thompson J R F169
Ngai K L and Reinecke T L: Structural instabilities and superconductivity in the alkali tungsten bronzes F151
Nichols T L: *see* Thompson J R F169
Nicholson L K: *see* Caplin A D F51
Nielsen H: The intervalley scattering in Bi and its influence on the transport properties at intermediate temperatures F141
Nieminen R M: *see* Manninen M F2243
Nishi K: *see* Sumiyama K F1281
Nizzoli F: *see* Bortolani V FL215
Norlin L-O: *see* Johansson K F337
de Novion C-H and Just W: Diffuse neutron scattering in niobium containing interstitial oxygen impurities F1627

Ogawa K and Aoki H: dHvA effect study of the effective cyclotron masses of the central and noncentral ζ orbits in lead F1169
Oleś A M: *see* Chao K A FL183
Oleś A M: *see* Chao K A FL281
Oli B A: Lattice dynamics of thorium in a resonance model pseudopotential theory F2441
Oliver F W, West K W, Cohen R L and Buschow K H J: Mössbauer effect of ^{151}Eu in $EuNi_5$, $EuMg_2$ and their hydrides F701
Ortbauer H: *see* Steiner W F1525
Osabe S: *see* Goda M F1019
Ossi P M: *see* Bottani C E F1671
Ovadyahu Z: Hexagonal phase in ultra-thin films of lead F403
Overhof H, Knecht J, Fischer R and Hensel F: Photoelectron spectroscopy studies and calculation of the energy bands of CsAu and RbAu F1607

Palmer S B: *see* Isci C F247
Palmer S B and Lenkkeri J T: The magnetic field dependence of the low-temperature elastic constants of neodymium F1359
Panissod P: *see* Berrada A F845
Papaconstantopoulos D A: *see* Klein B M F617
Parlebas J C: *see* Demangeat C F1879
Parlebas J C: *see* Rahman T S F2511
Pathak L P: *see* Singh B P F2493
Paul D McK and Springford M: Dynamical properties of quasiparticle excitations in potassium and rubidium F1713
Peisl H: *see* Metzger H F391
Pendry J B and Hopkinson J F L: Photoemission from transition metal surfaces F1009
Pepperhoff W: *see* Bendick W F2525
Pepperhoff W: *see* Bendick W F2535
Perz J: *see* Pink D A F961
Pettifor D G: Theory of energy bands and related properties of 4d transition metals: III. s and d contributions to the equation of state F219
Pick M A: *see* Thompson P FL75
Piecuch M: *see* Mangin Ph F2085
Pierre J: *see* Hennion B F2617

Pink D A, Steinitz M O, Stanley D J, Fawcett E and Perz J: Polarisation domain effects on ultrasonic velocity in antiferromagnetic chromium F961
Plefka T: *see* Seipler D F969
Plischke M: *see* Bhattacharjee A K F1793
Povey M J W: A calculation of the pressure dependence of the low-temperature transport properties of dilute KRb alloys F231
Prakash S: Theory of charge perturbation due to impurities in transition metals F2497
Pratt W P Jr: *see* Uher C F1979
Price D C: Indirect magnetic coupling between local moments in metals F933
Price D C: *see* Ross R N F2367
Pynn R: The structure of the diffuse omega phase observed in Zr and Ti alloys F1

Rabel M: *see* Tellier C R F2357
Raeburn S J and Aldridge R V: The Hall effect, resistivity and magnetic moment of amorphous and polycrystalline iron films F1917
Rahim C A and Barnard R D: The thermopowers and resistivities of copper alloyed with homovalent and polyvalent impurities and the validity of the Nordheim–Gorter relation F1957
Rahman M A: *see* Edwards D M F1501
Rahman T S, Parlebas J C and Mills D L: The g tensor of d holes in palladium F2511
Rai R C and Hemkar M P: Crystal equilibrium and lattice dynamics of chromium and vanadium F45
Rainford B D: *see* Burke S K FL239
Rais H: *see* Hilscher G F511
Rao R S: *see* Asokamani R F2323
Rasera R L, Butz T, Vasquez A, Ernst H, Shenoy G K, Dunlap B D, Reno R C and Schmidt G: Strength, symmetry and distribution of electric quadrupole interactions at ^{181}Ta impurities in hafnium–zirconium alloys F1579
Rehn L E, Robrock K-H and Jacques H: Interstitial-solute complexes in an irradiated Al–Fe alloy F1835
Reidinger F: *see* Thompson P FL75
Reilly J J: *see* Thompson P FL75
Reinecke T L: *see* Ngai K L F151
Reno R C: *see* Rasera R L F1579
van der Rest J: Local environment and magnetic properties in transitional alloys: IV F1263
Ribault M, Benoit A, Flouquet J and Chouteau G: Low-temperature magnetic properties of the metallic FCC phase of ytterbium FL145
Richardson N V and Sass J K: The symmetry properties of energy bands in solids determined by UV photoemission with unpolarised radiation FL99
Richter D: *see* Kehr K W F433
Rickayzen G: Anisotropic impurity scattering and the electromagnetic surface resistance of aluminium F271
Riedi P C: The temperature dependence of the hyperfine field of ^{27}Al in iron at constant volume FL95
Riedi P C: The distribution of hyperfine fields in two alloys of iron as a function of temperature and pressure FL201
Riess J, Fibich M and Ron A: Relaxation in spin glasses F161
Rivier N: *see* Continentino M A F1187
Rivier N: *see* Continentino M A F2073
Robert C: *see* Berrada A F845
Robrock K-H: *see* Rehn L E F1835
Ron A: *see* Riess J F161
Roques B: *see* Le Caër G F323
Rosenthal M D: *see* Tkach R FL193
Ross J W and Tronc E: Mössbauer effect observation of an induced hyperfine field in $YbAl_3$ F983
Ross R N, Price D C and Williams G: Resistivity and magnetoresistance anisotropy associated with s, p impurities in ferromagnetic Ni and Co F2367
Rossitto F: *see* Bottani C E F1671
Rots M, Namavar F, Langouche G, Coussement R, Van Rossum M and Boolchand P: Electric field gradient and lattice location of tin in tellurium FL117
le Roux H: Observation of spinel particles in sintered WC–Co hard metal by transmission electron microscopy FL213
Rowe J M: Low-temperature lattice properties of PdD alloys FL7
Rowlands J A, Stackhouse B J and Woods S B: The electrical resistivity and deviations from Matthiessen's rule of single-crystal pure Cd and dilute Cd–Mg alloys F2545
Rowlands J A and Woods S B: Anisotropic electron scattering in the resistivity of strained aluminium, palladium and silver F1929

Sacchetti F: Dielectric matrix and related properties in random binary alloys F743
Sacchetti F: Elastic neutron scattering cross section in random binary alloys F2011
Saermark K, Lebech J and Johansen H: Cyclotron resonance line shape and cyclotron waves for a spherical Fermi surface F2145
Safronov V P: *see* Vaks V G F725
Sandiford D J: *see* Bissell P R F2173
Santoro G: *see* Bortolani V FL215
Sass J K: *see* Richardson N V FL99
Sato H and Yonemitsu K: Longitudinal magnetoresistance size effect of aluminium single crystals: Effect of the cyclotron orbit nature F659
Schätzler R: *see* Töpler J FL25
Schilling J S: *see* Fasol G FL257
Schinkel C J: Anomalous high-field magnetisation of YCo_2 and $LuCo_2$ FL87

Schmatz W: *see* Werner K FL207
Schmidt G: *see* Rasera R L F1579
Schmitt D: *see* Morin P F951
Schoeck G and Kirchner H O K: The elastic energy of dislocation loops in anisotropic media FL43
Schroeder P A: *see* Uher C F865
Schulte C W: *see* Jackman J A FL13
Schulte C W: *see* Jackman J A F1845
Schultze H: *see* Battye F L F709
Schulze K: *see* Fuss J F497
Ségransan P J, Chabre Y and Clark W G: Nuclear spin relaxation and the Knight shift of ^{61}Ni metal in the paramagnetic solid and liquid phases F1513
Seipler D: *see* Battye F L F709
Seipler D and Plefka T: Influence of the crystal field on the gadolinium electron spin resonance in polycrystalline cubic metals F969
Seitz E: De Haas–van Alphen effect in YAl_2 FL189
Seitz E: *see* Werner K FL207
Sekher R and Viswanathan K S: Helicon–phonon interaction in metals for parallel wave propagation F1099
Senoussi S: *see* Hamzić A F1947
Seydel U and Fischer U: Thermophysical properties of solid and liquid molybdenum and palladium F1397
Seydel U and Fucke W: Experimental determination of critical data of liquid molybdenum FL157
Shaltiel D: *see* Bloch J M F1805
Shaw K I, Tari A and Mackenzie I S: Nuclear spin lattice relaxation of ^{165}Ho in magnetically ordered rare earth metals F679
Shelton R N: *see* Webb A W F261
Shender E F: *see* Korenblit I Ya FL197
Shenoy G K: *see* Rasera R L F1579
Shibuta H: *see* Yamamoto R FL179
Shiga M: *see* Sumiyama K F1281
Shiga M and Nakamura Y: Effect of local environment on formation of local moments in BCC Fe–V alloys: Mössbauer study F177
Shimizu M: *see* Takahashi Y F1491
Sholl C A and Smith P V: The energy and electron density of states of H in Pd, Rh and Ni F775
Shukla M M: The nonequivalence of angular force models of de Launay and Clark, Gazis and Wallis for FCC metals FL131
Shukla M M: A comment on the paper by Fielek on 'the inclusion of three-body forces and the condition of equilibrium into the models of Krebs and Chéveau' FL289
Simpson M A: *see* Finlayson T R F2269
Singh A K: *see* Jain B K F2625
Singh B P, Pathak L P and Hemkar M P: An improved Fielek model for transition metals F2493
Singh O: *see* Curzon A E F1619
Singh R K and Kumar Sunil: A model for lattice dynamics of face centred cubic metals F1863
Skriver H L: *see* Dunsworth A E F1427
Skriver H, Venema W, Walker E and Griessen R: Effect of hydrostatic pressure on electronic states in palladium F2313
Smit J: Magnetism in Hume-Rothery alloys F2139
Smith P V: The electronic structure of dilute transitional impurities in transition and noble metal hosts F1405
Smith P V: *see* Sholl C A F775
Smith T F: *see* Bristow G K F2165
Smith T F: *see* Finlayson T R F2269
So C B: *see* Lai S K F883
So C B, Moore R A and Wang S: A relativistic model psuedopotential: Applied to Cs and Pb metals F785
So C B and Wang S: Corrections to electrical resistivities from the non-Hermiticity of the pseudopotential FL251
Sohmura T and Fujita F E: Mössbauer effect in hydrogenated Fe–Ni alloys F2061
Spalek J: *see* Chao K A FL183
Spalek J: *see* Chao K A FL281
Spedding F H: *see* Taylor W A F2293
Sperlich G: *see* Urban P F977
Spiller G D T and Dobson P J: Comments on 'Hexagonal phase in ultra-thin films of lead' FL135
Springford M: *see* Paul D McK F1713
Stackhouse B J: *see* Rowlands J A F2545
Stanley D J: *see* Pink D A F961
Steichele E: *see* Stetter G F2075
Steiner W, Gratz E, Ortbauer H and Camen H W: Magnetic properties, electrical resistivity and thermal expansion of $(Ho, Y)Co_2$ F1525
Steinitz M O: *see* Pink D A F961
Stetter G, Adlhart W, Fritsch G, Steichele E and Lüscher E: Determination of the lattice parameter of potassium by neutron scattering F2075
Stocks G M: *see* Temmerman W M F2461
Stone N J: *see* Campbell I A FL235
Stott M J: *see* Leung C H F1379
Stott M J and West R N: The positron density distribution in metals: Temperature effects F635
Styles G A and Tranfield G: Nonlocal pseudopotential calculations of Knight shifts in liquid metals and alloys: I. Pure metals F2035
Sumiyama K, Shiga M, Kobayashi Y, Nishi K and Nakamura Y: Strong ferromagnetism in Invar type Fe–Pt alloys F1281
Sung S H: *see* Harris R FL299
Svoboda P: Internal oxidation of impurities in gold F1757
Swendsen R H: *see* Kehr K W F433
Tagle J A: *see* Baró A M F563
Takahashi I and Edwards D M: The spin wave stiffness constant in ferromagnetic partially ordered alloys F2579

Takahashi Y and Shimizu M: Orbital magnetic susceptibility of conduction electrons in a disordered system F1491
Takayama H: A contribution to the theory of spin waves in a metallic spin glass F2417
Takeuchi S: *see* Maeda K FL283
Tamaki S: *see* Tsuchiya Y FL29
Tamaki S: *see* Waseda Y F125
Tari A: *see* Shaw K I F679
Taylor R: A simple, useful analytical form of the static electron gas dielectric function F1699
Taylor R: *see* Jacucci G FL121
Taylor R: *see* Leavens C R F1969
Taylor W A, Levy M B and Spedding F H: Specific heat of lutetium from 1·6 to 18 K F2293
Tellier C R, Rabel M and Tosser A J: Hall coefficient of thin films in a mean free path conduction model F2357
Temmerman W M, Gyorffy B L and Stocks G M: The atomic sphere approximation to the KKR-CPA electronic structure of paramagnetic Cu_cNi_{1-c} alloys F2461
Thaler B J, Fletcher R and Bass J: The low-temperature high-field Nernst–Ettingshausen coefficient of Al F131
Theye M L: *see* Lafait J F1597
Tholence J L: *see* Kästner J F103
Thompson J R, Thomson J O, Huray P G, Nave S and Nichols T L: Anisotropic effects in dilute Pt–Mn: A nuclear orientation study F169
Thompson P, Pick M A, Reidinger F, Corliss L M, Hastings J M and Reilly J J: Neutron diffraction study of β iron titanium deuteride FL75
Thomson J O: *see* Thompson J R F169
Titman J M: *see* Marsden J F1321
Tiwari M D: *see* Indu B D F755
Tkach R, Rosenthal M D and Wagner D K: Effect of modulation on the radiofrequency size effect FL193
Todd J R: *see* Brown J S F1703
Töpler J, Lebsanft E and Schätzler R: Determination of the hydrogen diffusion coefficient in Ti_2Ni by means of quasielastic neutron scattering FL25
Tosser A J: *see* Tellier C R F2357
Towfiq F: *see* Beille J F1999
Tranfield G: *see* Styles G A F2035
Treglia G, Ducastelle F and Gautier F: Generalised perturbation theory in disordered transition metal alloys: Application to the self-consistent calculation of ordering energies F1437
Triftshäuser W: *see* Lengeler B F1691
Trooster J M: *see* van Attekum P M Th M FL169
Tsai Min-Hsuing: Inelastic tunnelling spectra of chemisorbed atoms F589
Tsong T T: Measurement of the field evaporation rate of several transition metals F1349
Tsuchiya Y and Tamaki S: Positron annihilation and charge transfer in simple alloys FL29
Tsuei C C: *see* Fasol G FL257
Uher C: Thermopower and thermal conductivity of arsenic from 8 K down to 0·3 K F2559
Uher C and Pratt W P Jr: Thermopower measurements on bismuth from 9 K down to 40 mK F1979
Uher C and Schroeder P A: Transport properties of palladium from 40 mK to 6 K F865
Upadhyaya J C: Nonlocal effects in the lattice dynamics of HCP transition metals F1873
Upadhyaya J C and Dagens L: Resonant model potential and the phonon frequencies in copper FL21
Urban P, Jansen K, Sperlich G and Davidov D: On the coupling between gadolinium 4f electrons and conduction electrons in monopnicitides F977
Urch D S: *see* Wood P R F543
Vaks V G, Zarochentsev E V, Kravchuk S P and Safronov V P: Temperature dependence of the elastic constants in alkali metals F725
Van Harlingen D J: *see* Garland J C F117
Van Rossum M: *see* Rots M FL117
Varotsos P: The thermal expansion coefficient of the defect-entropy volume FL9
Varotsos P: On the analysis of the defect-experimental data in metals F1373
Varotsos P: *see* Alexopoulos K F2227
Vasquez A: *see* Rasera R L F1579
Veillet P: *see* Grover A K F1557
Veillet P: *see* Le Dang Khoi F1811
Veillet P: *see* Le Dang Khoi F1827
Venema W: *see* Skriver H F2313
Verbeek B H and Mydosh J A: Spin glass freezing above the ferromagnetic percolation limit in AuFe alloys FL109
Verge C: *see* Altounian Z F75
Vergés J A and Yndurain F: Electron states at steps in transition metal surfaces: A cluster–Bethe lattice approximation F873
Viswanathan K S: *see* Sekher R F1099
Vosko S H: *see* Liu K L F1539
Vuye G: *see* Lafait J F1597
Wagner D K: *see* Tkach R FL193
Walker E: *see* Skriver H F2313
Walter J L: *see* Chien C L F2407
Wampler W R and Gauster W B: Positron annihilation studies of quenched aluminium FL1
Wang S: *see* Lai S K F883
Wang S: *see* So C B FL251
Wang S: *see* So C B F785
Waseda Y, Jain A and Tamaki S: Resistivity, its temperature coefficient and thermoelectric power of liquid rare earths (La, Ce, Eu, Gd, Yb) using t matrix F125
Wassermann E F: *see* Kästner J F103

Watabe M: *see* Itoh M F1725
Watts B R: *see* Mayers J F799
Webb A W and Shelton R N: Compressibilities and volume dependence of T_c for eleven Chevrel phase superconductors F261
Weinzierl P: *see* Blaschko O FL149
Welford J: *see* Corner W D F2203
Wells P: *see* Campbell S J FL91
Wells P: *see* Campbell S J F2593
Werner K, Schmatz W, Bauer G S, Seitz E, Fenzl H J and Baratoff A: Long-range solute–host interaction in dilute Al–Mg alloys FL207
West K W: *see* Oliver F W F701
West R N: *see* Stott M J F635
Whiting J S S: *see* Mitra D P F2401
Wiid D H: *see* Geldenhuys J F2021
de Wilde J and de Groot D G: Lineshape studies of quantum oscillations in the ultrasonic absorption and dispersion in indium. The anomalous behaviour of the ultrasonic absorption F1131
Wilkinson C: *see* Forsyth J B F2195
Williams G: *see* Ross R N F2367
Williams J M: *see* Dunlop J B F2115
Wood P R and Urch D S: The L*l* and Lη x ray emission spectra of some first-row transition metals and compounds F543
Woodbridge K and Ertl M E: Pulsed Ettingshausen cooling in bismuth F1941
Woods S B: *see* Rowlands J A F1929
Woods S B: *see* Rowlands J A F2545
Wyder P: *see* De Lang H N FL39

Yamamoto R, Haga K, Shibuta H and Doyama M: Search for Bernal holes in a realistic structural model of amorphous iron FL179
Yndurain F: *see* Vergés J A F873
Yonemitsu K: *see* Sato H F659
Yoshida F: Dynamical structure factor in liquid rubidium F411
Yoshioki S and Mori G: A note on electrons around vacancies in metals FL125
Young R C: *see* Irvine S J C FL269
Young R C: *see* Mattocks P G F1417
Young W H: *see* Hasegawa M FL81
Young W H: *see* Hasegawa M F1105

Zaremba E: *see* Kus F W F479
Zarochentsev E V: *see* Vaks V G F725
Zibold G: Mictomagnet AuFe: frequency dependence of the susceptibility maximum FL229
Ziebeck K R A: *see* Booth J G F1303
Zimmer F: *see* Fasol G FL257
Zlatić V: Low-temperature magnetoresistance of nearly magnetic transition metal-based alloys and actinides F489
Zobin D: *see* Bhattacharjee A K F1793
Zuckermann M J: *see* Bhattacharjee A K F1793